Public Places Visited by Cases in the Community during Infectious Period¹

Date	Time	Location (Address)
17 May	0900h to 0930h	Jurong West 505 Market and Food Centre (505 Jurong West St 52)
17 May	1240h to 1400h	100AM (100 Tras Street) • Don Don Donki
19 May	1045h to 1115h	Mayflower Market and Food Centre (162 Ang Mo Kio Avenue 4)
20 May	1500h to 1600h	Parkway Parade (80 Marine Parade)
20 May	1630h to 1800h	Jurong Point (1 Jurong West Central 2) • NTUC Fairprice
20 May	1900h to 2000h	Taman Jurong Shopping Centre (339 Yung Sheng Road)NTUC Fairprice
21 May	1730h to 1830h	Jurong Point (1 Jurong West Central 2) • Japanese Food Street @ Jurong Point
22 May	2030h to 2100h	Taman Jurong Shopping Centre (339 Yung Sheng Road) • NTUC Fairprice
24 May	0600h to 0800h	Wet market at Block 963 Jurong West Street 91
24 May	1200h to 1230h	Bukit Panjang Plaza (1 Jelebu Road) • Fairprice Finest
24 May	1230h to 1300h	Hillion Mall (17 Petir Road) • NTUC Fairprice
24 May	1300h to 1400h	Jurong Point (1 Jurong West Central 2) • FairPrice Xtra
24 May	2130h to 2220h	JEM (50 Jurong Gateway Road) • Don Don Donki
25 May	1100h to 1200h	Jurong West 505 Market and Food Centre (505 Jurong West St 52)
26 May	1005h to 1035h	Junction 8 (9 Bishan Place) • FairPrice Finest
27 May	1130h to 1200h	Junction 8 (9 Bishan Place) • Food Junction
28 May	1300h to 1330h	NTUC FairPrice (414 Yishun Ring Road)
28 May	1330h to 1400h	Giant (418 Yishun Avenue 11)

¹ Excludes residence, workplaces, healthcare facilities and public transport. This list will be updated on a rolling 14-days basis, i.e. one incubation period, and as epidemiological investigations progress.

Those who had been identified as close contacts of confirmed cases would already have been notified by MOH.

As a precautionary measure, persons who had been at these locations during the specified timings should monitor their health closely for 14 days from their date of visit. They should see a doctor promptly if they develop symptoms of acute respiratory infection (such as cough, sore throat and runny nose), as well as fever and loss of taste or smell, and inform the doctor of their exposure history.