

## List of Studies, Evidence and Materials Considered by the Government

Aaker, J.L., & Maheswaran, D. (1997). The effect of cultural orientation on persuasion. *Journal of Consumer Research*, 24(3), 315-318.

Al-Hamdani, M. (2013). The effect of cigarette plain packaging on individuals' health warning recall. *Healthcare Policy*, 8(3), 68–77. doi: [10.12927/hcpol.2013.23210](https://doi.org/10.12927/hcpol.2013.23210)

Ampuero, O., & Vila, N. (2006). Consumer perceptions of product packaging. *Journal of Consumer Marketing*, 23(2), 100–112. doi: [10.1108/07363760610655032](https://doi.org/10.1108/07363760610655032)

Andrews, C., Netemeyer, R., Burton, S., & Kees, J. (2016). Effects of plain package branding and graphic health warnings on adolescent smokers in the USA, Spain and France. *Tobacco Control*, 0:1–7. doi: [10.1136/tobaccocontrol-2015-052583](https://doi.org/10.1136/tobaccocontrol-2015-052583)

Ang, S.H., & Lee, L. (2018). Assessing the effectiveness of standardised packaging as a tobacco control measure in Singapore: Marketing and consumer psychology perspectives. Retrieved from: [www.moh.gov.sg/proposed-tobacco-control-measures](http://www.moh.gov.sg/proposed-tobacco-control-measures)

Arora, M., Tewari, A., Grills, N., Nazar, G., Sonrexa, J., Gupta, V., Moodie, R., & Reddy, K. (2013). Exploring perception of Indians about plain packaging of tobacco products: A mixed method research. *Frontiers in Public Health*, 1(35), 1-8.

Assunta, M., & Chapman, S. (2004). “The world’s most hostile environment”: How the tobacco industry circumvented Singapore’s advertising ban. *Tobacco Control*, 13(Suppl 2), ii51-ii57.

Bansal-Travers, M., Hammond, D., Smith, P., & Cummings, K.M. (2011). The impact of cigarette pack design, descriptors, and warning labels on risk perception in the US. *American Journal of Preventive Medicine*, 40(6), 674-682.

Barracough, S., & Gleeson, D. (2017). Why packaging is commercially vital for tobacco corporations. *Asia Pacific Journal of Public Health*, 29(2), 132-139. doi: [10.1177/1010539516688081](https://doi.org/10.1177/1010539516688081)

Beede, P., Lawson, R., & Shepherd, M. (1990). The promotional impact of cigarette packaging: A study of adolescent responses to cigarette plain-packs. Department of Marketing, University of Otago, Dunedin, New Zealand.

Beede, P., & Lawson, R. (1992). The effect of plain packages on the perception of cigarette health warnings. *Public Health*, 106(4), 315-322.

Bonhomme, J., Eisen, K., & Lalley, K. (1988). Marketing research department report: Marlboro Ultra Lights qualitative research. LBC, Philip Morris; Aug 22 1988. Bates: 2043293420/3423. Retrieved from: <http://legacy.library.ucsf.edu/tid/pxu83e00>

Borland, R., Yong, H.H., King, B., Cummings, K. M., Fong, G. T., Elton-Marshall, T., Hammond, D., & McNeill, A. (2004). Use of and beliefs about light cigarettes in four countries:

findings from the International Tobacco Control Policy Evaluation Survey. *Nicotine & Tobacco Research*, 6(3), S311-S321. doi: [10.1080/1462220412331320716](https://doi.org/10.1080/1462220412331320716)

Borland R., Fong, G.T., Yong, H.H., Cummings, K.M., Hammond, D., King, B., Siahpush, M., McNeill, A., Hastings, G., O'Connor, R.J., Elton-Marshall, T., & Zanna, M.P. (2008). What happened to smokers' beliefs about light cigarettes when "light/mild" brand descriptors were banned in the UK? Findings from the International Tobacco Control (ITC) Four Country Survey. *Tobacco Control*, 17(4), 256–262. doi: [10.1136/tc.2007.023812](https://doi.org/10.1136/tc.2007.023812)

Borland, R., Yong, H.H., Wilson, N., Fong, G.T., Hammond, D., Cummings, K.M., Hosking, W., & McNeill, A. (2009). How reactions to cigarette packet health warnings predict quitting: Findings from the ITC Four-Country survey. *Addiction*, 104(4), 669-675.

Borland, R., Wilson, N., Fong, G.T., Hammond, D., Cummings, K.M., Yong, H.H., Hosking, W., Hastings, G., Thrasher, J., & McNeill, A. (2009). Impact of graphic and text warnings on cigarette packs: Findings from four countries over five years. *Tobacco Control*, 18(5), 358-364.

Borland, R., & Savvas, S. (2013). Effects of stick design features on perceptions of characteristics of cigarettes. *Tobacco Control*, 22(5), 331-337.

Borland, R., Savvas, S., Sharkie, F., & Moore, K. (2013). The impact of structural packaging design on young adult smokers' perceptions of tobacco products. *Tobacco Control*, 22(2), 97–102. doi: [10.1136/tobaccocontrol-2011-050078](https://doi.org/10.1136/tobaccocontrol-2011-050078)

Borland, R., & Savvas, S. (2014). The effects of variant descriptors on the potential effectiveness of plain packaging. *Tobacco Control*, 23(1), 58–63. doi: [10.1136/tobaccocontrol-2012-050736](https://doi.org/10.1136/tobaccocontrol-2012-050736)

Brennan, E., Durkin, S., Coomber, K., Zacher, M., Scollo, M., & Wakefield, M. (2015). Are quitting-related cognitions and behaviours predicted by proximal responses to plain packaging with larger health warnings? Findings from a national cohort study with Australian adult smokers. *Tobacco Control*, 24(Suppl 2), ii33-ii41.

British-American Tobacco Company Limited, & Miller, L. (1986). Principles of measurement of visual standout in pack design. British American Tobacco Records. Retrieved from: <https://www.industrydocumentslibrary.ucsf.edu/tobacco/docs/fsgv0201>

Brose, L.S., Chong, C.B., Aspinall, E., Michie, S., & McEwen, A. (2014). Effects of standardised cigarette packaging on craving, motivation to stop and perceptions of cigarettes and packs. *Psychology and Health*, 29(7), 849–860. doi: [10.1080/08870446.2014.896915](https://doi.org/10.1080/08870446.2014.896915)

Brown, A., McNeill, A., Mons, U., & Guignard, R. (2012). Do smokers in Europe think all cigarettes are equally harmful? *European Journal of Public Health*, 22(Suppl 1), 35–40. <http://doi.org/10.1093/eurpub/ckr198>

Cancer Council Victoria. (2014). "Comments on Kaul & Wolf: The (possible) effect of plain packaging on the smoking prevalence of minors in Australia: A trend analysis".

Carpenter, C.M., Wayne, G.F., & Connolly, G.N. (2005). Designing cigarettes for women: New findings from the tobacco industry documents. *Addiction*, 100(6), 837–851. doi: [10.1111/j.1360-0443.2005.01072.x](https://doi.org/10.1111/j.1360-0443.2005.01072.x)

Carter, O., Mills, B.W., Phan, T., & Bremner, J.R. (2012). Measuring the effect of cigarette plain packaging on transaction times and selection errors in a simulation experiment. *Tobacco Control*, 21(6), 572–577. doi: [10.1136/tobaccocontrol-2011-050087](https://doi.org/10.1136/tobaccocontrol-2011-050087)

Carter, O., Welch, M., Mills, B., Phan, T., & Chang, P. (2013). Plain packaging for cigarettes improves retail transaction times. *BMJ (Clinical Research Ed.)*, 346, f1063. doi: [10.1136/bmj.f1063](https://doi.org/10.1136/bmj.f1063)

Centre for Health Promotion. (1993). Effects of plain packaging on the image of tobacco products among youth. Toronto: University of Toronto. Retrieved from: <http://legacy.library.ucsf.edu/tid/fuf13d00/pdf>

Centre for Tobacco Control Research. (2012). The packaging of tobacco products. Retrieved from: [https://www.cancerresearchuk.org/sites/default/files/cancer\\_research\\_uk-funded\\_report\\_on\\_tobacco\\_packaging\\_written\\_by\\_the\\_centre\\_for\\_tobacco\\_control\\_research.pdf](https://www.cancerresearchuk.org/sites/default/files/cancer_research_uk-funded_report_on_tobacco_packaging_written_by_the_centre_for_tobacco_control_research.pdf)

Chantler, S. C. (2014). Standardised packaging of tobacco, (April), 64. Retrieved from: <http://www.kcl.ac.uk/health/10035-TSO-2901853-Chantler-Review-ACCESSIBLE.PDF>

Chen, H., Ng, S., & Rao, A.R. (2005). Cultural differences in consumer impatience. *Journal of Marketing Research*, 42(3), 291-301.

Cher, B.P., Chen, C., & Yoong, J. (2017). Prevalence-based, disease-specific estimate of the social cost of smoking in Singapore. *BMJ Open*, 8, e014377.

Chia, K.S., & Miller, C. (2018). Review of literature and research on the policy impact of standardised packaging for tobacco products. Retrieved from: [www.moh.gov.sg/proposed-tobacco-control-measures](http://www.moh.gov.sg/proposed-tobacco-control-measures)

Chipty, T. (2016). Study of the impact of the tobacco plain packaging measure on smoking prevalence in Australia. Appendix A. In: Department of Health, Australia. (2016). Post-Implementation Review: Tobacco Plain Packaging 2016. Retrieved from: [ris.pmc.gov.au/2016/02/26/tobacco-plain-packaging](http://ris.pmc.gov.au/2016/02/26/tobacco-plain-packaging)

Consulting Group - Asia Insight. (2015). Findings for tobacco packaging study (theme 1). Singapore: Substance Abuse Department. Retrieved from: [www.moh.gov.sg/proposed-tobacco-control-measures](http://www.moh.gov.sg/proposed-tobacco-control-measures)

Consulting Group - Asia Insight. (2015). Findings for tobacco packaging study (theme 2). Singapore: Substance Abuse Department. Retrieved from: [www.moh.gov.sg/proposed-tobacco-control-measures](http://www.moh.gov.sg/proposed-tobacco-control-measures)

Consulting Group - Asia Insight. (2015). Findings for tobacco packaging study (theme 3). Singapore: Substance Abuse Department. Retrieved from: [www.moh.gov.sg/proposed-tobacco-control-measures](http://www.moh.gov.sg/proposed-tobacco-control-measures)

Consulting Group - Asia Insight. (2016). Findings for tobacco packaging study (quantitative). Singapore: Substance Abuse Department. Retrieved from: [www.moh.gov.sg/proposed-tobacco-control-measures](http://www.moh.gov.sg/proposed-tobacco-control-measures)

Consulting Group - Asia Insight. (2016). Findings for tobacco packaging study (theme 4). Singapore: Substance Abuse Department. Retrieved from: [www.moh.gov.sg/proposed-tobacco-control-measures](http://www.moh.gov.sg/proposed-tobacco-control-measures)

Cummings, K. M., Morley, C. P., Horan, J. K., Steger, C., & Leavell, N.R. (2002). Marketing to America's youth: Evidence from corporate documents. *Tobacco Control*, 11(Suppl 1), i5–i17. doi: [10.1136/tc.11.suppl\\_1.i5](https://doi.org/10.1136/tc.11.suppl_1.i5)

Cummings, K. M., Hyland, A., Bansal, M. A., & Giovino, G. A. (2004). What do Marlboro Lights smokers know about low-tar cigarettes? *Nicotine & Tobacco Research*, 6(Suppl 3), S323-S332.

Davidson, S. (2016). What is it with government and dodgy regressions? Retrieved from: <http://catallaxyfiles.com/2016/02/26/what-is-it-with-government-and-dodgy-regressions/>

Davidson, S. (2016). Almost as bad as the hockey stick. Retrieved from: <http://catallaxyfiles.com/2016/03/04/almost-as-bad-as-the-hockey-stick/>

Davidson, S., & de Silva, A. (2016). Stubbing out the evidence of tobacco plain packaging efficacy: An analysis of the Australian National Tobacco Plain Packaging Survey. *SSRN Electronic Journal*, (May). doi: [10.2139/ssrn.2780938](https://doi.org/10.2139/ssrn.2780938)

Department of Health, Australia. (2016). Post-Implementation Review: Tobacco Plain Packaging 2016. Retrieved from: [ris.pmc.gov.au/2016/02/26/tobacco-plain-packaging](http://ris.pmc.gov.au/2016/02/26/tobacco-plain-packaging)

Devlin, E., Eadie, D., & Angus, K. (2003). The Centre for Tobacco Control Research, University of Strathclyde. Low Tar Product Category, 0–10. Prepared for NHS Health Scotland. Retrieved from: <http://www.tobaccopapers.com/casestudies/Low-Tar.pdf>

Dewe, M., Ogden, J., & Coyle, A. (2015). The cigarette box as an advertising vehicle in the United Kingdom: A case for plain packaging. *Journal of Health Psychology*, 20(7), 954–962. doi: [10.1177/1359105313504236](https://doi.org/10.1177/1359105313504236)

Diethelm, P. & Farley, T. (2015). Refuting tobacco-industry funded research: Empirical data shows decline in smoking prevalence following introduction of plain packaging in Australia. *Tobacco Prevention and Cessation*, 1.

DiFranza, J. R., Eddy, J. J., Brown, L. F., Ryan, J. L., & Bogojaviensky, A. (1994). Tobacco acquisition and cigarette brand selection among youth. *Tobacco Control*, 3, 334-338. doi: [10.1136/tc.3.4.334](https://doi.org/10.1136/tc.3.4.334)

DiFranza, J.R., Wellman, R.J., Sargent, J.D., Weitzman, M., Hipple, B.J., Winickoff, J.P., & Tobacco Consortium, Center for Child Health Research of the American Academy of Pediatrics. (2006). Tobacco promotion and the initiation of tobacco use: Assessing the evidence for causality. *Pediatrics*, 117(6), e1237–e1248. doi: [10.1542/peds.2005-1817](https://doi.org/10.1542/peds.2005-1817)

Donovan, R. (1993). Smokers' and non-smokers' reactions to standard packaging of cigarettes. Perth, Australia: University of Western Australia.

Donovan, R. J., Jancey, J., & Jones, S. (2002). Tobacco point of sale advertising increases positive brand user imagery. *Tobacco Control*, 11(3), 191–194. doi: [10.1136/TC.11.3.191](https://doi.org/10.1136/TC.11.3.191)

Doxey, J., & Hammond, D. (2011). Deadly in pink: The impact of cigarette packaging among young women. *Tobacco Control*, 20(5), 353–360. doi: [10.1136/tc.2010.038315](https://doi.org/10.1136/tc.2010.038315)

Dryden, N. (2015). The impact of Tobacco Plain Packaging in Australia: an update report for the Post-Implementation Review. Retrieved from: <https://www.aph.gov.au/DocumentStore.ashx?id=b229ebb0-3c68-44ad-8aef-7b537204e6cc&subId=402626>

Dunlop, S.M., Dobbins, T., Young, J.M., Perez, D., & Currow, D.C. (2014). Impact of Australia's introduction of tobacco plain packs on adult smokers' pack-related perceptions and responses: Results from a continuous tracking survey. *BMJ Open*, 4, e005836. doi: [10.1136/bmjopen-2014-005836](https://doi.org/10.1136/bmjopen-2014-005836)

Durkin, S., Brennan, E., Coomber, K., Zacher, M., Scollo, M., & Wakefield, M. (2015). Short-term changes in quitting-related cognitions and behaviours after the implementation of plain packaging with larger health warnings: Findings from a national cohort study with Australian adult smokers. *Tobacco Control*, 24(Suppl 2), ii26-ii32.

Elliott & Shanahan Research. (2002). Developmental research for new Australian health warnings on tobacco products stage 1. Prepared for: Population Health Division, Department of Health and Ageing, Australia.

Elton-Marshall, T., Xu, S.S., Meng, G., Quah, A.C., Sansone, G.C., Feng, G., Jiang, Y., Driezen, P., Omar, M., Awang, R., & Fong, G.T. (2015). The lower effectiveness of text-only health warnings in China compared to pictorial warnings in Malaysia: findings from the ITC Project. *Tobacco Control*, 24(Suppl 4), iv6-iv13.

Emmanuel, S.C., Chen, A.J., Phe, A. (1988). Cigarette smoking in Singapore. *Singapore Medical Journal*, 29, 119-124.

Envionics Research Group. (2007). The health effects of tobacco and health warning messages on cigarette packages: Survey of youth: Wave 12 Surveys. Prepared for Health Canada.

Envionics Research Group. (2008). Consumer research on the size of health warning messages – quantitative study of Canadian adult smokers: final report. Health Canada. Retrieved from: <http://www.tobaccolabels.ca/wp/wp-content/uploads/2013/12/Canada-2008-Consumer-Research-on-the-Size-of-Health-Warning-Messages-CDN-Adults-Government-Report.pdf>

Evans-Reeves, K.A., Hatchard, J. L., & Gilmore, A.B. (2015). “It will harm business and increase illicit trade”: An evaluation of the relevance, quality and transparency of evidence submitted by transnational tobacco companies to the UK consultation on standardised

packaging 2012. *Tobacco Control*, 24(e2), e168–e177. doi: [10.1136/tobaccocontrol-2014-051930](https://doi.org/10.1136/tobaccocontrol-2014-051930)

Fong, G.T., Hammond, D., & Hitchman, S.C. (2009). The impact of pictures on the effectiveness of tobacco warnings. *Bulletin of the World Health Organization*, 87(8), 640–643. doi: [10.2471/BLT.09.069575](https://doi.org/10.2471/BLT.09.069575)

Ford, A., Moodie, C., & Hastings, G. (2012). The role of packaging for consumer products: Understanding the move towards “plain” tobacco packaging. *Addiction Research & Theory*, 20(4), 339–347. doi: [10.3109/16066359.2011.632700](https://doi.org/10.3109/16066359.2011.632700)

Ford, A., Mackintosh, A.M., Moodie, C., Richardson, S., & Hastings, G. (2013). Cigarette pack design and adolescent smoking susceptibility: Across-sectional survey. *BMJ Open*, 3(9), e003282. doi: [10.1136/bmjopen-2013-003282](https://doi.org/10.1136/bmjopen-2013-003282)

Ford, A., Moodie, C., Mackintosh, A.M., & Hastings, G. (2014). Adolescent perceptions of cigarette appearance. *European Journal of Public Health*, 24(3), 464–468.

Ford, A., Moodie, C., Purves, R., & MacKintosh, A.M. (2016). Adolescent girls and young adult women’s perceptions of superslims cigarette packaging: A qualitative study. *BMJ Open*, 6, 1–8.

Freeman, B., Chapman, S., & Rimmer, M. (2008). The case for the plain packaging of tobacco products. *Addiction*, 103(4), 580–590.

Freeman, D., Brucks, M., Wallendorf, M., & Boland, W. (2009). Youths’ understandings of cigarette advertisements. *Addictive Behaviors*, 34(1), 36–42. doi: [10.1016/j.addbeh.2008.08.007](https://doi.org/10.1016/j.addbeh.2008.08.007)

Gallopel-Morvan, K., Béguinot, E., Eker, F., Martinet, Y., & Hammond, D. (2011). Effectiveness perception of plain packaging of tobacco products: Findings from France. *Bulletin epidemiologique hebdomadaire*, 20–21, 244–247.

Gallopel-Morvan, K., Moodie, C., Hammond, D., Eker, F., Beguinot, E., & Martinet, Y. (2012). Consumer perceptions of cigarette pack design in France: A comparison of regular, limited edition and plain packaging. *Tobacco Control*, 21(5), 502–506. doi: [10.1136/tobaccocontrol-2011-050079](https://doi.org/10.1136/tobaccocontrol-2011-050079)

Gallopel-Morvan, K., Jacques, O., Mathias, W., & Pino, J.M.R. (2012). Demarketing tobacco products: The influence of plain packs on smokers and non-smokers perceptions and behavioural intentions. *Journal d’Economie Medicale*, 30(5), 322–331. doi: [10.3917/jgem.125.0322](https://doi.org/10.3917/jgem.125.0322)

Gallopel-Morvan, K., Gabriel, P., Le Gall-Ely, M., Rieunier, S., & Urien, B. (2013). Plain packaging to help public health: The case of tobacco control. *Journal of Business Research*, 66, 133–136.

Gallopel-Morvan, K., Moodie, C., Eker, F., Beguinot, E., & Martinet, Y. (2015). Perceptions of plain packaging among young adult roll-your-own smokers in France: A naturalistic approach. *Tobacco Control*, 24(e1), e39–e44. doi: [10.1136/tobaccocontrol-2013-051513](https://doi.org/10.1136/tobaccocontrol-2013-051513)

Gallopel-Morvan, K., Hoek, J., & Rieunier, S. (2017). Do plain packaging and pictorial warnings affect smokers' and non-smokers' behavioural intentions? *Journal of Consumer Affairs*. doi: [10.1111/joca.12145](https://doi.org/10.1111/joca.12145)

Gendall, P., Hoek, J., Edwards, R., & McCool, J. (2012). A cross-sectional analysis of how young adults perceive tobacco brands: Implications for FCTC signatories. *BMC Public Health*, 12(1), 796. doi: [10.1186/1471-2458-12-796](https://doi.org/10.1186/1471-2458-12-796)

Gendall, P., Eckert, C., Hoek, J., Farley, T., Louviere, J., Wilson, N., & Edwards, R. (2016). Estimating the "consumer surplus" for branded versus standardised tobacco packaging. *Tobacco Control*, 25, 641-647. doi: [10.1136/tobaccocontrol-2015-052488](https://doi.org/10.1136/tobaccocontrol-2015-052488)

Germain, D., Wakefield, M.A., & Durkin, S.J. (2010). Adolescents' perceptions of cigarette brand image: Does plain packaging make a difference? *Journal of Adolescent Health*, 46(4), 385-392. Retrieved from: [www.jahonline.org/article/S1054-139X\(09\)00341-3](http://www.jahonline.org/article/S1054-139X(09)00341-3)

Gilpin, E., Emery, S., White, M., & Pierce, J. (2002). Does tobacco industry marketing of 'light' cigarettes give smokers a rationale for postponing quitting? *Nicotine & Tobacco Research*, 4(4), 147-155.

Goldberg, M.E., Kindra, G., Lefebvre, J., Liefeld, J., Madill-Marshall, J., Martohardjono, N., & Vredenburg, H. (1995). When packages can't speak: Possible impacts of plain and generic packaging of tobacco products. Expert Panel Report Prepared for Health Canada. Ottawa: Health Canada. Visual image experiment. Retrieved from: <http://legacy.library.ucsf.edu/tid/rce50d00>

Goldberg, M.E., Liefeld, J., Madill, J., & Vredenburg, H. (1999). The effect of plain packaging on response to health warnings. *American Journal of Public Health*, 89(9), 1434-1435.

Grant, I., Hassan, L., Hastings, G., MacKintosh, A., & Eadie, D. (2008). The influence of branding on adolescent smoking behaviour: Exploring the mediating role of image and attitudes. *International Journal of Nonprofit and Voluntary Sector Marketing*, 13(3), 275-285.

Gravely, S., Fong, G., Driezen, P., McNally, M., Thrasher, J., Thompson, M., & Hammond, D. (2016). The impact of the 2009/2010 enhancement of cigarette health warning labels in Uruguay: Longitudinal findings from the International Tobacco Control (ITC) Uruguay Survey. *Tobacco Control*, 25(1), 89.

Greenland, S.J. (2015). Cigarette brand variant portfolio strategy and the use of colour in a darkening market. *Tobacco Control*, 24, e65-e71.

Haighton, C., Taylor, C., & Rutter, A. (2017). Standardised packaging and illicit tobacco use: A systematic review. *Tobacco Prevention and Cessation*, 3, 13. doi: [10.18332/tpc/70277](https://doi.org/10.18332/tpc/70277)

Hajek, P., Stead, L.F., West, R., Jarvis, M., & Lancaster, T. (2013). Relapse prevention interventions for smoking cessation. *Cochrane Database of Systematic Reviews*, 20(8), CD003999.

Hammond, D., Fong, G.T., McNeill, A., Borland, R., & Cummings, K.M. (2006). Effectiveness of cigarette warning labels in informing smokers about the risks of smoking: Findings from the International Tobacco Control (ITC) Four Country Survey. *Tobacco Control*, 15, iii19-iii25.

Hammond, D., Fong, G.T., Borland, R., Cummings, K., McNeill, A., & Driezen, P. (2007). Communicating risk to smokers: The impact of health warnings on cigarette packages. *American Journal of Preventive Medicine*, 32(3), 202-209.

Hammond, D., Dockrell, M., Arnott, D., Lee, A., & McNeill, A. (2009). Cigarette pack design and perceptions of risk among UK adults and youth. *The European Journal of Public Health*, 19(6), 631-637.

Hammond, D., & Parkinson, C. (2009). The impact of cigarette package design on perceptions of risk. *Journal of Public Health*, 31(3), 345-353.

Hammond, D. (2010). "Plain packaging" regulations for tobacco products: The impact of standardizing the color and design of cigarette packs. *Salud Publica De Mexico*, 52, S226-S232.

Hammond, D. (2011). Health warning messages on tobacco products: A review. *Tobacco Control*, 20(5), 327-337.

Hammond, D., Doxey, J., Daniel, S., & Bansal-Travers, M. (2011). Impact of female-oriented cigarette packaging in the United States. *Nicotine & Tobacco Research*, 13(7), 579-588.

Hammond, D., Daniel, S., & White, C. (2013). The effect of cigarette branding and plain packaging on female youth in the United Kingdom. *Journal of Adolescent Health*, 52(2), 151-157.

Hammond, D. (2014). Standardised packaging of tobacco products: Evidence review prepared on behalf of The Irish Department of Health. Retrieved from: <http://health.gov.ie/wp-content/uploads/2013/12/2014-Ireland-Plain-Pack-Main-Report-Final-Report-July-26.pdf>

Hammond, D., White, C., Anderson, W., Arnott, D., & Dockrell, M. (2014) The perceptions of UK youth of branded and standardised, 'plain' cigarette packaging. *European Journal of Public Health*, 24(4), 537-543.

Hanewinkel, R., Isensee, B., Sargent, J., & Morgenstern, M. (2010). Cigarette advertising and adolescent smoking. *American Journal of Preventive Medicine*, 38(4), 359-366.

Harris, J., Ares, G., Gerstenblüth, M., Machin, & L., Triunfo, P. (2017). Impact of plain packaging of cigarettes on the risk perception of Uruguayan smokers: An experimental study. *Tobacco Control*, Published Online First: 08 September 2017. doi: [10.1136/tobaccocontrol-2017-053639](https://doi.org/10.1136/tobaccocontrol-2017-053639)

Hastings, G.B., & Moodie, C. (2015). Death of a salesman. *Tobacco Control*, 24(Suppl 2), ii1-ii2.



Health Promotion Board, Singapore. (2015). Survey on perception towards current cigarette packaging and (mock-up) standardised cigarette packaging: Survey findings. Retrieved from: <https://www.moh.gov.sg/proposed-tobacco-control-measures>

Health Promotion Board, Singapore. (2017). Perception on Cigarette Packs: Research findings. Retrieved from: <https://www.moh.gov.sg/proposed-tobacco-control-measures>

Hoek, J. (2007). Enhancing the effectiveness of warning labels: Plain packs vs. branded packs. Retrieved from: <https://otcc.confex.com/otcc/otcc07/techprogram/P1260.HTM>

Hoek, J., Wong, C., Gendall, P., Louviere, J., & Cong, K. (2011). Effects of dissuasive packaging on young adult smokers. *Tobacco Control*, 20(3), 183-188.

Hoek, J., Gendall, P., Gifford, H., Pirikahu, G., McCool, J., Pene, G., & Thomson, G. (2012). Tobacco branding, plain packaging, pictorial warnings, and symbolic consumption. *Qualitative Health Research*, 22(5), 630-639.

Hogarth, L., Maynard, O., & Munafò, M. (2015). Plain cigarette packs do not exert Pavlovian to instrumental transfer of control over tobacco-seeking. *Addiction*, 110(1), 174-182.

Hsee, C.K., & Weber, E.U. (1999). Cross-national differences in risk preference and lay predictions. *Journal of Behavioral Decision Making*, 12(2), 165-179.

Hughes, N., Arora, M., & Grills, N. (2016). Perceptions and impact of plain packaging in low and middle income countries, middle to upper income countries and low-income settings in high-income countries: A systematic review of the literature. *BMJ Open*, 6(3), e010391.

Inglehart, R. (1997). *Modernization and postmodernization: Cultural, economic, and political change in 43 societies*. Princeton, NJ: Princeton University Press.

Institute of Medicine, US. (2015). *Public health implications of raising the minimum age of legal access to tobacco products*. Washington, DC: The National Academies Press. Retrieved from: [http://www.nap.edu/catalog.php?record\\_id=18997](http://www.nap.edu/catalog.php?record_id=18997)

International Tobacco Control (ITC) Policy Evaluation Project. ITC Results. Retrieved from: [http://www.itcproject.org/itc\\_results/](http://www.itcproject.org/itc_results/)

JT International SA; British American Tobacco Australasia Ltd v. Commonwealth. (2012). 291 ALR 669.

Kacen, J.J., & Lee, J.A. (2002). The influence of culture on consumer impulsive buying behaviour. *Journal of Consumer Psychology*, 12(2), 163-76.

Kaul, A., & Wolf, M. (2014). The (possible) effect of plain packaging on smoking prevalence of minors in Australia: A trend analysis. Retrieved from: <http://www.econ.uzh.ch/static/workingpapers.php?id=828>.

Kaul, A., & Wolf, M. (2014). The (possible) effect of plain packaging on smoking prevalence in Australia: A trend analysis. Retrieved from: <http://www.econ.uzh.ch/static/workingpapers.php?id=844>.

Koten, J. (1980). Tobacco marketers' success formula: Make cigarettes in smokers' own image. *Wall Street Journal*, 29 February.

Kotnowski, K., & Hammond, D. (2013). The impact of cigarette pack shape, size and opening: Evidence from tobacco company documents. *Addiction*, 108(9), 1658-1668.

Kotnowski, K., Fong, G.T., Gallopel-Morvan, K., Islam, T., & Hammond, D. (2015). The impact of cigarette packaging design among young females in Canada: Findings from a discrete choice experiment. *Nicotine & Tobacco Research*, 18(5), 1348-1356.

Kowitt, S.D., Noar, S.M., Goldstein, A.O., & Ranney, L. (2017). Public attitudes toward larger cigarette pack warnings: Results from a nationally representative US sample. *PLoS ONE*, 12(3), e0171496. doi: [10.1371/journal.pone.0171496](https://doi.org/10.1371/journal.pone.0171496)

Kozlowski, L., Goldberg, M., & Yost, B. (2000). Measuring smokers' perceptions of the health risks from smoking light cigarettes. *American Journal of Public Health*, 90(8), 1318-9.

KPMG. (2013). Illicit tobacco in Australia. Retrieved from: [http://www.ecta.org/IMG/pdf/kpmg\\_report\\_on\\_illicit\\_trade\\_australia\\_4\\_nov\\_2013.pdf](http://www.ecta.org/IMG/pdf/kpmg_report_on_illicit_trade_australia_4_nov_2013.pdf)

Laverty, A., Diethelm, P., Hopkins, N., Watt, H., & McKee, M. (2015). Use and abuse of statistics in tobacco industry-funded research on standardised packaging. *Tobacco Control*, 24, 422-424.

Lempert, L., & Glantz, S. (2017). Packaging colour research by tobacco companies: The pack as a product characteristic. *Tobacco Control*, 26(3), 307.

Les Études De Marche Createc, Canada. (2008). Quantitative study of Canadian youth smokers and vulnerable non-smokers: Effects of modified packaging through increasing the size of warnings on cigarette packages. Prepared for Health Canada.

Les Études De Marche Createc. (2008). Quantitative study of Canadian adult smokers: Effects of modified packaging through increasing the size of warnings on cigarette packages. Prepared for Health Canada.

Liefeld, J.P. (1999). The relative importance of the size, content and pictures on cigarette package warning messages. Health Canada, Health Protection Branch.

Lim, Z.Y., How, A.L., & Zhao, J.M. (2015). The impact of cigarette type on consumers' perception of health risks of smoking. *Universal Journal of Public Health*, 3(5), 187-193.

Ling, P.M., & Glantz, S.A. (2002). Why and how the tobacco industry sells cigarettes to young adults: Evidence from industry documents. *American Journal of Public Health*, 92(6), 908-916.

London Economics. (2013). An analysis of smoking prevalence in Australia: Final Report. Retrieved from: <https://londoneconomics.co.uk/wp-content/uploads/2013/11/London-Economics-Report-Australian-Prevalence-Final-Report-25-11-2013.pdf>

Lovato, C., Watts, A., & Stead, L.F. (2011). Impact of tobacco advertising and promotion on increasing adolescent smoking behaviours. *Cochrane Database of Systematic Reviews*, 5(10), CD003439.

Lund, I., & Scheffels, J. (2013). Young smokers and non-smokers perceptions of typical users of plain vs. branded cigarette packs: A between-subjects experimental survey. *BMC Public Health*, 13(1), 1005.

MacFadyen, L., Hastings, G., & Mackintosh, A. (2001). Cross sectional study of young people's awareness of and involvement with tobacco marketing. *British Medical Journal*, 322(7285), 513-517.

Madill-Marshall, J., Goldberg, M.W., Gorn, G.J., Liefeld, J., & Vrendenburg, H. (1996). Two experiments assessing the visual and semantic images associated with current and plain cigarette packaging. *Advances in Consumer Research*, 23, 267-268.

Mannocci, A., Colamesta, V., Mipatrini, D., Messina, G., Gualano, M.R., Gianfagna, F., Boccia, G., Langiano, E., Nicolotti, N., Veronesi, G., Siliquini, R., De Vito, E., & La Torre, G. (2015). From directive to practice: Are pictorial warnings and plain packaging effective to reduce the tobacco addiction? *Public Health*, 129(12), 1563-1570. doi: [10.1016/j.puhe.2015.08.014](https://doi.org/10.1016/j.puhe.2015.08.014)

Maynard, O.M., Munafò, M., & Leonard, U. (2012). Visual attention to health warnings on plain tobacco packaging in adolescent smokers and non-smokers. *Addiction*, 108(2), 413-419.

Maynard, O.M., Attwood, A., O'Brien, L., Brooks, S., Hedge, C., Leonards, U., & Munafò, M.R. (2014). Avoidance of cigarette pack health warnings among regular cigarette smokers. *Drug & Alcohol Dependence*, 136, 170-174.

Maynard, O.M., Leonards, U., Attwood, A.S., Bauld, L., Hogarth, L., & Munafò, M.R. (2015). Effects of first exposure to plain cigarette packaging on smoking behaviour and attitudes: A randomised controlled study. *BMC Public Health*, 15, 252.

Maynard, O.M., Brooks, J.C., Munafò, M.R., & Leonards, U. (2017). Neural mechanisms underlying visual attention to health warnings on branded and plain cigarette packs. *Addiction*, 112(4), 662-672. doi: [10.1111/add.13699](https://doi.org/10.1111/add.13699)

Mays, D., Niaura, R.S., Evans, W.D., Hammond, D., Luta, G., & Tercyak, K.P. (2014). Cigarette packaging and health warnings: The impact of plain packaging and message framing on young smokers. *Tobacco Control*, 23, 1-6. doi: [10.1136/tobaccocontrol-2013-051234](https://doi.org/10.1136/tobaccocontrol-2013-051234)

McBride, C. (1987). A summary of brand imagery studies on Canadian products. Imperial Tobacco Limited Research and Development Division. Retrieved from: <https://www.industrydocumentslibrary.ucsf.edu/tobacco/docs/xpvb0140>

McCabe Centre for Law & Cancer. Dispute in the World Trade Organization. Retrieved from: <http://www.mccabecentre.org/focus-areas/tobacco/dispute-in-the-world-trade-organization>

McCabe Centre for Law & Cancer. Domestic challenge to plain packaging: High Court of Australia finds plain packaging constitutional. Retrieved from: <http://www.mccabecentre.org/focus-areas/tobacco/domestic-challenge-to-plain-packaging>

McCabe Centre for Law & Cancer. Philip Morris Asia challenge under Australia-Hong Kong Bilateral Investment Treaty dismissed. Retrieved from: <http://www.mccabecentre.org/focus-areas/tobacco/philip-morris-asia-challenge>

McCool, J., Webb, L., Cameron, L.D., & Hoek, J. (2012). Graphic warning labels on plain cigarette packs: Will they make a difference to adolescents? *Social Science & Medicine*, 74(8), 1269-1273.

McNeill, A., Gravelly, S., Hitchman, S.C., Bauld, L., Hammond, D., & Hartmann-Boyce, J. (2017). Tobacco packaging design for reducing tobacco use. *Cochrane Database of Systematic Reviews*, 4, CD011244. doi: [10.1002/14651858.CD011244.pub2](https://doi.org/10.1002/14651858.CD011244.pub2)

Menon, T., Sim, J., Fu, J.H.Y., Chiu, C.Y., & Hong, Y.Y. (2010). Blazing the trail versus trailing the group: Culture and perceptions of the leader's position. *Organizational Behaviour and Human Decision Processes*, 113(1), 51-61.

Miller, C.L., Ettridge, K.A., & Wakefield, M. (2015). "You're made to feel like a dirty filthy smoker when you're not, cigar smoking is another thing all together." Responses of Australian cigar and cigarillo smokers to plain packaging. *Tobacco Control*, 24(Suppl 2), ii58-ii65.

Miller, L. (1986). Principles of measurement of visual standout in pack design. British-American Tobacco Company Limited. Retrieved from: <http://legacy.library.ucsf.edu/tid/zlh37a99>

Moodie, C., Hastings, G., & Ford, A. (2009). A brief review of plain packaging research for tobacco products: Report prepared for Department of Health. Available from Stirling University.

Moodie, C., & Hastings, G. (2010). Tobacco packaging as promotion. *Tobacco Control*, 19(2), 168.

Moodie, C., & Ford, A. (2011). Young adult smokers' perceptions of cigarette pack innovation, pack colour and plain packaging. *Australasian Marketing Journal*, 19(3), 174-180.

Moodie, C., & Hastings, G. (2011). Making the pack the hero, tobacco industry response to marketing restrictions in the UK: Findings from a long-term audit. *International Journal of Mental Health and Addiction*, 9(1), 24-38.

Moodie, C., Mackintosh, A., Hastings, G., & Ford, A. (2011). Young adult smokers' perceptions of plain packaging: A pilot naturalistic study. *Tobacco Control*, 20(5), 367-73.

Moodie, C., Stead, M., Bauld, L., McNeill, A., Angus, K., Hinds, K., Kwan, I., Thomas, J., Hastings, G., & O'Mara-Eves, A. (2012). Plain Tobacco Packaging: A Systematic Review. Available from the University of Stirling. (The "Stirling Review")

Moodie, C., Hastings, G., & Joossens, L. (2012). Young adult smokers' perceptions of illicit tobacco and the possible impact of plain packaging on purchase behaviour. *European Journal of Public Health*, 22(2), 251-253.

Moodie, C., Ford, A., Mackintosh, A., & Hastings, G. (2012). Young people's perceptions of cigarette packaging and plain packaging: An online survey. *Nicotine & Tobacco Research*, 14(1), 98-105.

Moodie, C., Angus, K., Stead, M., & Bauld, L. (2013). Plain Tobacco Packaging Research: An Update. Available from the University of Stirling. (The update to the "Stirling Review")

Moodie, C., & Mackintosh, A. (2013). Young adult women smokers' response to using plain cigarette packaging: A naturalistic approach. *BMJ Open*, 3(3), e002402. doi: [10.1136/bmjopen-2012-002402](https://doi.org/10.1136/bmjopen-2012-002402)

Moodie, C., Angus, K., & Ford, A. (2014). The importance of cigarette packaging in a 'dark' market: the 'Silk Cut' experience. *Tobacco Control*, 23, 274-278.

Moodie, C., Bauld, L., Ford, A., & Mackintosh, A. M. (2014). Young women smokers' response to using plain cigarette packaging: Qualitative findings from a naturalistic study. *BMC Public Health*, 14(1), 812. doi: [10.1186/1471-2458-14-812](https://doi.org/10.1186/1471-2458-14-812)

Moodie, C., Purves, R., McKell, J., & De Andrade, M. (2014). Young women smokers' perceptions and use of counterfeit cigarettes: Would plain packaging make a difference? *Addiction Research & Theory*, 22(3), 263-270.

Moodie, C., Mackintosh, A., & Hastings, G. (2015). Adolescents' response to pictorial warnings on the reverse panel of cigarette packs: A repeat cross-sectional study. *Tobacco Control*, 24(e1), e93-97.

Morgenstern, M., Sargent, J.D., Isensee, B., & Hanewinkel, R. (2013). From never to daily smoking in 30 months: The predictive value of tobacco and non-tobacco advertising exposure. *BMJ Open*, 3, e002907.

Munafo, M.R., Roberts, N., Bauld, L., & Leonards, U. (2011). Plain packaging increases visual attention to health warnings on cigarette packs in non-smokers and weekly smokers but not daily smokers. *Addiction*, 106(8), 1505-1510.

Mutti, S., Hammond, D., Borland, R., Cummings, K.M., O'Connor, R.J., & Fong, G.T. (2011). Beyond light & mild: cigarette brand descriptors and perceptions of risk in the International Tobacco Control (ITC) Four Country Survey. *Addiction*, 106(6), 1166-1175.

Mutti, S., Hammond, D., Reid, J.L., White, C.M., & Thrasher, J.F. (2017). Perceptions of branded and plain cigarette packaging among Mexican youth. *Health Promotion International*, 32(4), 650-659. doi: [10.1093/heapro/dav117](https://doi.org/10.1093/heapro/dav117)

Noar, S.M., Hall, M.G., Francis, D.B., Ribisi, K.M., Pepper, J.K., & Brewer, N.T. (2016). Pictorial cigarette pack warnings: A meta-analysis of experimental studies. *Tobacco Control*, 25(3):341-354.

Newman-Norlund, R.D., Thrasher, J.F., Fridriksson, J., Brixius, W., Froeliger, B., Hammond, D., & Cummings, M.K. (2014). Neural biomarkers for assessing different types of imagery in pictorial health warning labels for cigarette packaging: A cross-sectional study. *BMJ Open*, 4(12), e006411.

Nonnemaker, J., Kim, A., Shafer, P., Loomis, B., Hill, E., Holloway, J., & Farrelly, M. (2016). Influence of point-of-sale tobacco displays and plain black and white cigarette packaging and advertisements on adults: Evidence from a virtual store experimental study. *Addictive Behaviors*, 56, 15-22. doi: 10.1016/j.addbeh.2016.01.001.

Northrup, D., & Pollard, J. (1995). Plain packaging of cigarettes, event marketing to advertise smoking and other tobacco issues: A survey of grade seven and grade nine Ontario students. Institute for Social Research, York University: Toronto, ON.

OxyRomandie. (2015) 'Errors and Issues with Kaul and Wolf's Two Working Papers on Tobacco Plain Packaging in Australia' (29 January).

Padilla, J. (2010). The impact of plain packaging of cigarettes in Australia: A simulation exercise. Retrieved from: [http://www.smokefree.ca/plainpackaging/documents/industryresponses/Plain\\_packaging\\_simulation\\_PMI\\_Australia\\_100202.pdf](http://www.smokefree.ca/plainpackaging/documents/industryresponses/Plain_packaging_simulation_PMI_Australia_100202.pdf)

Parr, V., Tan, B., Ell, P., & Miller, K. (2011). Market research to determine effective plain packaging of tobacco products – Study 6: Online: Consumer appraisal of different graphic health warning sizes and layouts on pack – split 75% GWH testing. Retrieved from: [https://www.health.gov.au/internet/main/publishing.nsf/Content/C5E90158113E0DC6CA257D120011725C/\\$File/Market%20Research%20-%20Plain%20Packaging%20of%20Tobacco%20Products.pdf](https://www.health.gov.au/internet/main/publishing.nsf/Content/C5E90158113E0DC6CA257D120011725C/$File/Market%20Research%20-%20Plain%20Packaging%20of%20Tobacco%20Products.pdf)

Parr, V., Tan, B., Ell, P., & Miller, K. (2011). Market research to determine effective plain packaging of tobacco products – Study 5: Online: Consumer appraisal of different graphic health warning sizes and layouts on pack.

Parr, V., Tan, B., Ell, P., & Miller, K. (2011). Market research to determine effective plain packaging of tobacco products – Study 4: Online: Consumer perceptions of plain pack colour with brand elements.

Parr, V., Tan, B., Ell, P., & Miller, K. (2011). Market research to determine effective plain packaging of tobacco products – Study 2: Online: Consumer perceptions of plain pack colour.

Parr, V., Tan, B., & Ell, P. (2011). Market research to determine impact of plain packaging on other tobacco products. Retrieved from: <http://www.health.gov.au/internet/publications/publishing.nsf/Content/mr-plainpack-mr-other-tob-products>

Partos, T.R., Borland, R., Yong, H.H., Thrasher, J., & Hammond, D. (2013). Cigarette packet warning labels can prevent relapse: Findings from the International Tobacco Control 4-Country policy evaluation cohort study. *Tobacco Control*, 22(e1), e43-e50.

Peace, J., Wilson, N., Thomson, G., & Edwards, R. (2007). Colouring of cigarette packs in New Zealand - does it mislead consumers? Health Promotion & Policy Research Unit, University of Otago, Wellington. (November). Retrieved from: [http://itc.medaidoc.com/files/Peace et al., 2007. colouring of cigarette packs in New Zealand.pdf](http://itc.medaidoc.com/files/Peace_et_al.,_2007._colouring_of_cigarette_packs_in_New_Zealand.pdf)

Perry, C.L. (1999). The tobacco industry and underage youth smoking: tobacco industry documents from the Minnesota litigation. *Archives of Pediatrics and Adolescent Medicine*, 153(9), 935-941.

Peters, M., & Saffron, M. (2015). Patterns of non-compliant tobacco use in Sydney estimated using an empty cigarette pack survey. *Respirology*, 20(S2), 60.

Philip Morris Asia Inc. (1988). Singapore GCS 1987. Philip Morris. Bates No. 2504046948/6994. Retrieved from: <http://legacy.library.ucsf.edu/tid/xbv19e00>

Pierce, J., Gilpin, E., Burns, D.M., Whalen, E., Rosbrook, B., Shopland, D., & Johnson, M. (1991). Does tobacco advertising target young people to start smoking? Evidence from California. *Journal of the American Medical Association*, 266(22), 3154-3158.

Pierce, J., Choi, W., Gilpin, E., Farkas, A., & Berry, C. (1998). Tobacco industry promotion cigarettes and adolescent smoking. *Journal of the American Medical Association*, 279(7), 511-515.

Pierce, J.P., Distefan, J.M., Jackson, C., White, M.M., & Gilpin, E.A. (2002). Does tobacco marketing undermine the influence of recommended parenting in discouraging adolescents from smoking? *American Journal of Preventive Medicine*, 23(2), 73-81.

Pollay, R. (2000). Targeting youth and concerned smokers: Evidence from Canadian tobacco industry documents. *Tobacco Control*, 9(2), 136.

Pollay, R., & Dewhirst, T. (2002). The dark side of marketing seemingly "Light" cigarettes: Successful images and failed fact. *Tobacco Control*, 11(Suppl 1), i18.

Ramunno, S., Mandeville, K.L., & Yarrow, K. (2012). The effect of plain cigarette packaging on attention to health warnings. *Lancet Public Health abstracts*. Retrieved from: [http://www.thelancet.com/pb/assets/raw/Lancet/abstracts/Public Health Abstracts ALL Part3.pdf](http://www.thelancet.com/pb/assets/raw/Lancet/abstracts/Public_Health_Abstracts_ALL_Part3.pdf)

Ratneswaran, C., Chisnall, B., Li, M., Tan, S., Douiri, A., Anantham, D., & Steier, J. (2016). Desensitisation to cigarette package graphic health warnings: A cohort comparison between London and Singapore. *BMJ Open*, 6, e012693.

Rook, D.W., & Fisher, R.J. (1995). Normative influences on impulsive buying behaviour. *Journal of Consumer Research*, 22(3), 305-313.

Rootman, I., & Flay, B. (1995). A study on youth smoking plain packaging, health warnings, event marketing, and price reductions key findings. Toronto: University of Toronto, Centre for Health Promotion.

- Rousu, M., & Thrasher, J. (2013). Demand reduction from plain and pictorial cigarette warning labels: Evidence from experimental auctions. *Applied Economic Perspectives and Policy*, 35(1), 171-184.
- Rowell, A., Evans-Reeves, K., & Gilmore, A. (2014). Tobacco industry manipulation of data on and press coverage of the illicit tobacco trade in the UK. *Tobacco Control*, 23(e1), e35.
- Sargent, J., Gibson, J., & Heatherton, T. (2009). Comparing the effects of entertainment media and tobacco marketing on youth smoking. *Addiction*, 104(5), 815-823.
- Scheffels, J., & Sæbø, G. (2013). Perceptions of plain and branded cigarette packaging among Norwegian youth and adults: A focus group study. *Nicotine & Tobacco Research*, 15(2), 450-456.
- Scheffels, J., & Lund, I. (2013). The impact of cigarette branding and plain packaging on perceptions of product appeal and risk among young adults in Norway: A between-subjects experimental survey. *BMJ Open*, 3(12), e003732. doi: [10.1136/bmjopen-2013-003732](https://doi.org/10.1136/bmjopen-2013-003732)
- Schooler, C., Feighery, E., & Flora, J. (1996). Seventh graders' self-reported exposure to cigarette marketing and its relationship to their smoking behavior. *American Journal of Public Health*, 86(9), 1216-1221.
- Schüz, N., Eid, M., Schüz, B., & Ferguson, S.G. (2016). Immediate effects of plain packaging health warnings on quitting intention and potential mediators: Results from two ecological momentary assessment studies. *Psychology of Addictive Behaviors*, 30(2), 220-8. doi: [10.1037/adb0000146](https://doi.org/10.1037/adb0000146)
- Scollo, M., Zacher, M., Durkin, S., & Wakefield, M. (2014). Early evidence about the predicted unintended consequences of the SP Proposal of tobacco products in Australia: A cross-sectional study of the place of purchase, regular brands and use of illicit tobacco. *BMJ Open*. 2014; 4, e005873.
- Scollo, M., Bayly, M., & Wakefield, M. (2015). Availability of illicit tobacco in small retail outlets before and after the implementation of Australian plain packaging legislation. *Tobacco Control*, 24(e1), e45.
- Scollo, M., Zacher, M., Coomber, K., Bayly, M., & Wakefield, M. (2015). Changes in use of types of tobacco products by pack sizes and price segments, prices paid and consumption following the introduction of plain packaging in Australia. *Tobacco Control*, 24(Suppl 2), ii66–ii75.
- Scollo, M., Zacher, M., Coomber, K., & Wakefield, M. (2015). Use of illicit tobacco following introduction of standardised packaging of tobacco products in Australia: Results from a national cross-sectional survey. *Tobacco Control*, 24(Suppl 2), ii76-ii81.
- Scollo, M., Bayly, M., & Wakefeld, M. (2015). The advertised price of cigarette packs in retail outlets across Australia before and after the implementation of plain packaging: A repeated measures observational study. *Tobacco Control*, 24(Suppl 2), ii82-ii89.



Scollo, M., Bayly, M., & Wakefield, M. (2015). Did the recommended retail price of tobacco products fall in Australia following the implementation of plain packaging? *Tobacco Control*, 24(Suppl 2), ii90-ii93.

Scollo, M., Coomber, K., Zacher, M., & Wakefield, M. (2015). Did smokers shift from small mixed businesses to discount outlets following the introduction of plain packaging in Australia? A national cross-sectional survey. *Tobacco Control*, 24(Suppl 2), ii98-ii100.

Scollo, M., Occleston, J., Bayly, M., Lindorff, K., & Wakefield, M. (2015). Tobacco product developments coinciding with the implementation of plain packaging in Australia. *Tobacco Control*, 24, e116-e112.

Shanahan, P. (2000). Evaluation of the health warnings and explanatory health messages on tobacco products. Retrieved from: <http://www.tobaccolabels.ca/wp/wp-content/uploads/2013/12/Australia-2000-Evaluation-of-the-Health-Warnings-and-Explanatory-Health-Messages-on-Tobacco-Products-Government-Report.pdf>

Shanahan, P., & Elliot, D. (2008). Evaluation of the effectiveness of the graphic health warnings on tobacco product packaging. Department of Health and Ageing, Australia.

Shankleman, M., Sykes, C., Mandeville, K.L., Di Costa, S., & Yarrow, K. (2015). Standardised (plain) cigarette packaging increases attention to both text-based and graphical health warnings: Experimental evidence. *Public Health*, 129(1), 37–42. doi: [10.1016/j.puhe.2014.10.019](https://doi.org/10.1016/j.puhe.2014.10.019)

Shiffman, S., Pillitteri, J., Burton, S., Rohay, J., & Gitchell, J. (2001). Smokers' beliefs about "Light" and "Ultra Light" cigarettes. *Tobacco Control*, 10, i17-i23.

Skaczkowski, G., Durkin, S., Kashima, Y., & Wakefield, M. (2017). Influence of premium versus value brand names on the smoking experience in a plain packaging environment: an experimental study. *BMJ Open*, 7, e014099. doi: [10.1136/bmjopen-2016-014099](https://doi.org/10.1136/bmjopen-2016-014099)

Slater, S., Chaloupka, F., Wakefield, M., Johnston, L., & O'Malley, P. (2007). The impact of retail cigarette marketing practices on youth smoking uptake. *Archives of Pediatrics and Adolescent Medicine*, 161(5), 440-445.

Snowdon, C. (2012). Plain Packaging: Commercial expression, anti-smoking extremism and the risks of hyper-regulation. Retrieved from: <http://www.adamsmith.org/wp-content/uploads/plain-packaging.pdf>

Stead, M., Moodie, C., Angus, K., Bauld, L., McNeill, A., Thomas, J., Hastings, G., Hinds, K., O'Mara-Eves, A., Kwan, I., Purves, R.I., & Bryce, S.L. (2013). Is consumer response to plain/standardised tobacco packaging consistent with Framework Convention on Tobacco Control Guidelines? A systematic review of quantitative studies. *PLoS ONE*, 8(10), e75919.

Steinberg, L. (2010). Adolescent decision making and the prevention of underage smoking. Retrieved from: <https://www.jti.com/about-us/our-business/key-regulatory-submissions>

Street, W., Chantler, S.C., Jay, T., Dickson, G., Gregson, A., & Elliott, R. (2014). 1.12/03/2014, (March), 1–43. Retrieved from: <https://www.kcl.ac.uk/health/Packaging->

[review/packaging-review-docs/meetingsandbriefings/British-American-Tobacco-Australian-and-Imperial-Tobacco-Australia-12-March-2014.pdf](#)

Swayampakala, K., Thrasher, J.F., Yong, H.H., Nagelhout, G., Li, L., Borland, R., Hammond, D., O'Connor, R.J., & Hardin, J.W. (2017). Over-time impacts of pictorial health warning labels and their differences across smoker subgroups: Results from adult smokers in Canada and Australia. *Nicotine & Tobacco Research*. doi: [10.1093/ntr/ntx134](#)

Tan, A.S.L., Arulanandam, S., Chng, C.Y., & Vaithinathan, R. (2000). Overview of legislation and tobacco control in Singapore. *International Journal of Tuberculosis and Lung Disease*, 4(11), 1002-1008.

The Journal of the American Dental Association. (1995). Cigarette packaging appeals to teens. *The Journal of the American Dental Association*, 126(12), 1604.

Thrasher, J.F., Rousu, M.C., Hammond, D., Navarro, A., & Corrigan, J.R. (2011). Estimating the impact of pictorial health warnings and “plain” cigarette packaging: Evidence from experimental auctions among adult smokers in the United States. *Health Policy*, 102(1), 41-48. doi: [10.1016/j.healthpol.2011.06.003](#)

Toll, B., & Ling, P. (2005). The Virginia Slims identity crisis: An inside look at tobacco industry marketing to women. *Tobacco Control*, 14(3), 172.

Ulucanlar, S., Fooks, G.J., Hatchard, J.L., & Gilmore, A.B. (2014). Representation and misrepresentation of scientific evidence in contemporary tobacco regulation: A review of tobacco industry submission to the UK government consultation on standardised packaging. *PLoS Medicine*, 11(3), e1001629. doi: [10.1371/journal.pmed.1001629](#)

Underwood, R., & Ozanne, J. (1998). Is your package an effective communicator? A normative framework for increasing the communicative competence of packaging. *Journal of Marketing Communications*, 4(4), 207-220.

US Department of Health and Human Services. (2012). Preventing tobacco use among youth and young adults: A report of the Surgeon General. Atlanta, GA: US Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health. Retrieved from: <https://www.surgeongeneral.gov/library/reports/index.html>

US Department of Health and Human Services. (2014). The health consequences of smoking—50 years of progress: A report of the Surgeon General. Atlanta, GA: US Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health. Retrieved from: <https://www.surgeongeneral.gov/library/reports/index.html>

Van Hal, G., Van Roosbroeck, S., Vriesacker, B., Arts, M., Hoeck, S., & Fraeyman, J. (2012). Flemish adolescents' perceptions of cigarette plain packaging: A qualitative study with focus group discussions. *BMJ Open*, 2(6), e001424. doi: [10.1136/bmjopen-2012-001424](#)

Viscusi, W.K. (2015). An assessment of the likely effect of plain packaging on warnings efficacy.

- Viscusi, W.K. (2015). Analysis of CITTS data and NTPPTS data: A report for the Post-Implementation Review.
- Wakefield, M. & Letcher, T. (2002). My pack is cuter than your pack. *Tobacco Control*, 11, 154-156.
- Wakefield, M., Morley, C., Horan, J., & Cummings, K. (2002). The cigarette pack as image: New evidence from tobacco industry documents. *Tobacco Control*, 11(Suppl 1), I73.
- Wakefield, M., Germain, D., & Durkin, S. (2008). How does increasingly plainer cigarette packaging influence adult smokers' perceptions about brand image? An experimental study. *Tobacco Control*, 17(6), 416-421.
- Wakefield, M., Germain, D., Durkin, S., Hammond, D., Goldberg, M., & Borland, R. (2012). Do larger pictorial health warnings diminish the need for plain packaging of cigarettes? *Addiction*, 107(6), 1159-1167.
- Wakefield, M., Hayes, L., Durkin, S., & Borland, R. (2013). Introduction effects of the Australian plain packaging policy on adult smokers: A cross-sectional study. *BMJ Open*, 3(7), e003175. doi: [10.1136/bmjopen-2013-003175](https://doi.org/10.1136/bmjopen-2013-003175)
- Wakefield, M., Bayly, M., & Scollo, M. (2014). Product retrieval time in small tobacco retail outlets before and after the Australian plain packaging policy: Real-world study. *Tobacco Control*, 23(1), 70-76.
- Wakefield, M., Coomber, K., Zacher, M., Durkin, S., Brennan, E., & Scollo, M. (2015). Australian adult smokers' responses to plain packaging with larger graphic health warnings 1 year after implementation: Results from a national cross-sectional tracking survey. *Tobacco Control*, 24(Suppl 2), ii17-ii25.
- Wang, A.-L., Lowen, S.B., Romer, D., Giorno, M., & Langleben, D.D. (2015). Emotional reaction facilitates the brain and behavioural impact of graphic cigarette warning labels in smokers. *Tobacco Control*, 24, 225-232.
- Webb, H., Jones, B.M., McNeill, K., Lim, L., Frain, A., O'Brien, K., Skorich, D., Hoffmann, P., & Cruwys, T. (2017). Smoke signals: The decline of brand identity predicts reduced smoking behaviour following the introduction of plain packaging. *Addictive Behaviors Reports*, 5, 49-55.
- Weiss, J.W., Cen, S., Schuster, V., Unger, J.B., Anderson Johnson, C., & Mouttapa, M. (2006). Longitudinal effects of pro-tobacco and anti-tobacco messages on adolescent smoking susceptibility. *Nicotine & Tobacco Research*, 8(3), 455-465.
- While, D., Kelly, S., Huang, W., & Charlton, A. (1996). Cigarette advertising and onset of smoking in children: Questionnaire survey. *British Medical Journal*, 313(7054), 398-399.
- White, C., Hammond, D., Thrasher, J.F., & Fong, G.T. (2012). The potential impact of plain packaging of cigarette products among Brazilian young women: An experimental study. *BMC Public Health*, 12(1), 737.

White, V., Williams, T., & Wakefield, M. (2015). Has the introduction of plain packaging with larger graphic health warnings changed adolescents' perceptions of cigarette packs and brands? *Tobacco Control*, 24(Suppl 2), ii42–ii49. doi: [10.1136/tobaccocontrol-2014-052084](https://doi.org/10.1136/tobaccocontrol-2014-052084)

White, V., Williams, T., Faulkner, A., & Wakefield, M. (2015). Do larger graphic health warnings on standardised cigarette packs increase adolescents' cognitive processing of consumer health information and beliefs about smoking-related harms? *Tobacco Control*, 24(Suppl 2), ii50–ii57. doi: 10.1136/tobaccocontrol-2014-052085

Wilson, N., Weerasekera, D., Peace, J., Edwards, R., Thomson, G., & Devlin, M. (2009). Misperceptions of "light" cigarettes abound: National survey data. *BMC Public Health*, 9(1), 126.

World Health Organization. (2016). Plain packaging of tobacco products: evidence, design and implementation.

World Health Organization. (2003, updated reprint in 2004, 2005). WHO Framework Convention on Tobacco Control.

World Health Organization. (2013 edition). WHO Framework Convention on Tobacco Control: Guidelines for implementation Article 5.3; Article 8; Articles 9 and 10; Article 11; Article 12; Article 13; Article 14.

Yong, H.H., Borland, R., Hammond, D., Thrasher, J.F., Cummings, K.M., & Fong, G.T. (2016). Smokers' reactions to the new larger health warning labels on plain cigarette packs in Australia: Findings from the ITC Australia project. *Tobacco Control*, 25(2), 181-187. doi: [10.1136/tobaccocontrol-2014-051979](https://doi.org/10.1136/tobaccocontrol-2014-051979).

Young, J.M., Stacey, I., Dobbins, T.A., Dunlop, S., Dessaix, A.L., & Currow, D.C. (2014). Association between tobacco plain packaging and Quitline calls: A population-based, interrupted timeseries. *The Medical Journal of Australia*, 200(1), 29-32.

Zacher M., Bayly M., Brennan E., Dono J., Miller C., Durkin S., Scollo M., & Wakefield M. (2014). Personal tobacco pack display before and after the introduction of plain packaging with larger pictorial health warnings in Australia: An observational study of outdoor café strips. *Addiction*, 109(4), 653-662. doi: [10.1111/add.12466](https://doi.org/10.1111/add.12466)

Zacher, M., Bayly, M., Brennan, E., Dono, J., Miller, C., Durkin, S., Scollo, M., & Wakefield, M. (2015). Personal pack display and active smoking at outdoor café strips: assessing the impact of plain packaging 1 year post-implementation. *Tobacco Control*, 24(Suppl 2), ii94–ii97. doi: [10.1136/tobaccocontrol-2014-051826](https://doi.org/10.1136/tobaccocontrol-2014-051826)

Zhang, Y., & Gelb, B.D. (1996). Matching advertising appeals to culture: The influence of products' use conditions. *Journal of Advertising*, 25(3), 29-46.