

REFERENCES (Updated: as of 31 October 2018)

- Aaker, J., & Maheswaran, D. (1997). The Effect of Cultural Orientation on Persuasion. *Journal of Consumer Research*, 24(3), 315-328. <https://doi:10.1086/209513>
- Adkison, S. E., Bansal-Travers, M., Smith, D. M., O'Connor, R. J., & Hyland, A. J. (2014). Impact of smokeless tobacco packaging on perceptions and beliefs among youth, young adults, and adults in the U.S: findings from an internet-based cross-sectional survey. *Harm Reduction Journal*, 11, 2. <https://doi.org/10.1186/1477-7517-11-2>
- Albers, A. B., Siegel, M., Cheng, D. M., Biener, L., & Rigotti, N. A. (2004). Relation between local restaurant smoking regulations and attitudes towards the prevalence and social acceptability of smoking: a study of youths and adults who eat out predominantly at restaurants in their town. *Tobacco Control*, 13(4), 347-355. <https://doi.org/10.1136/tc.2003.007336>
- Alesci, N. L., Forster, J. L., & Blaine, T. (2003). Smoking visibility, perceived acceptability, and frequency in various locations among youth and adults. *Preventive Medicine*, 36(3), 272-281. [https://doi.org/10.1016/S0091-7435\(02\)00029-4](https://doi.org/10.1016/S0091-7435(02)00029-4)
- Al-Hamdani, M. (2013). The effect of cigarette plain packaging on individuals' health warning recall. *Healthcare Policy*, 8(3), 68-77. <http://doi.org/10.12927/hcpol.2013.23210>
- Akre, C., & Suris, J.-C. (2017). Adolescents and young adults' perceptions of electronic cigarettes as a gateway to smoking: a qualitative study in Switzerland. *Health Education Research*, 32(5), 448-454. <https://doi.org/10.1093/her/cyx054>
- American Marketing Association. How Packaging Can Help Market and Sell Products. (2011, August 16). Retrieved 22 October 2018, from <https://amatampabay.org/how-packaging-can-help-market-and-sell-products/>
- Ampuero, O., & Vila, N. (2006). Consumer perceptions of product packaging. *Journal of Consumer Marketing*, 23(2), 100-112. <http://doi.org/10.1108/07363760610655032>
- Anderson, S., Hastings, G., & MacFadyen, L. (2002). Strategic marketing in the UK tobacco industry. *The Lancet Oncology*, 3(8), 481-486. [https://doi.org/10.1016/S1470-2045\(02\)00817-3](https://doi.org/10.1016/S1470-2045(02)00817-3)
- Andrews, J. C., Netemeyer, R. G., Burton, S., & Kees, J. (2016). Effects of plain package branding and graphic health warnings on adolescent smokers in the USA, Spain and France. *Tobacco Control*, 25(e2), e120-e126. <https://doi.org/10.1136/tobaccocontrol-2015-052583>
- Ang, S. H., Lee, L. (2018a). *Assessing the Effectiveness of Standardised Packaging as a Tobacco Control Measure in Singapore: Marketing and Consumer Psychology Perspectives*.
- Ang, S. H., Lee, L. (2018b). *Assessing the Effectiveness of Standardised Packaging as a Tobacco Control Measure in Singapore: Marketing and Consumer Psychology Perspectives - Addendum*.
- Arndt, J., & Goldenberg, J. L. (2017). Where Health and Death Intersect: Insights from a Terror Management Health Model. *Current Directions in Psychological Science*, 26(2), 126-131. <https://doi.org/10.1177/0963721416689563>
- Arora, M., Tewari, A., Grills, N., Nazar, G. P., Sonrexa, J., Gupta, V. K., ... Reddy, K. S. (2013). Exploring Perception of Indians about Plain Packaging of Tobacco Products: A

Mixed Method Research. *Frontiers in Public Health*, 1.
<https://doi.org/10.3389/fpubh.2013.00035>

Assunta, M., & Chapman, S. (2004). 'The world's most hostile environment': how the tobacco industry circumvented Singapore's advertising ban. *Tobacco Control*, 13 Suppl 2, ii51-57. <https://doi.org/10.1136/tc.2004.008359>

Australian Institute of Health and Welfare. (2017). *National Drug Strategy Household Survey 2016: Detailed findings*. Drug Statistics series no. 31. Cat. no. PHE 214. Canberra: AIHW. Retrieved from <https://www.aihw.gov.au/getmedia/15db8c15-7062-4cde-bfa4-3c2079f30af3/21028a.pdf.aspx?inline=true>

Australian Institute of Health and Welfare. (2014). *National Drug Strategy Household Survey Detailed report 2013*. Drug Statistics series no. 28. Cat. no. PHE 183. Canberra: AIHW. Retrieved from https://www.aihw.gov.au/getmedia/c2e94ca2-7ce8-496f-a76594c55c774d2b/16835_1.pdf.aspx?inline=true

Babineau, K., & Clancy, L. (2015). Young people's perceptions of tobacco packaging: a comparison of EU Tobacco Products Directive & Ireland's Standardisation of Tobacco Act. *BMJ Open*, 5(6), e007352. <https://doi.org/10.1136/bmjopen-2014-007352>

Balmford, J., Borland, R., & Yong, H.-H. (2016). Impact of the introduction of standardised packaging on smokers' brand awareness and identification in Australia. *Drug and Alcohol Review*, 35(1), 102–109. <https://doi.org/10.1111/dar.12331>

Banks, E., Joshy, G., Weber, M. F., Liu, B., Grenfell, R., Egger, S., ... Beral, V. (2015). Tobacco smoking and all-cause mortality in a large Australian cohort study: findings from a mature epidemic with current low smoking prevalence. *BMC Medicine*, 13, 38. <https://doi.org/10.1186/s12916-015-0281-z>

Bansal-Travers, M., Hammond, D., Smith, P., & Cummings, K. M. (2011a). The impact of cigarette pack design, descriptors, and warning labels on risk perception in the U.S. *American Journal of Preventive Medicine*, 40(6), 674–682. <https://doi.org/10.1016/j.amepre.2011.01.021>

Bansal-Travers, M., O'Connor, R., Fix, B. V., & Cummings, K. M. (2011b). What do cigarette pack colors communicate to smokers in the U.S.? *American Journal of Preventive Medicine*, 40(6), 683–689. <https://doi.org/10.1016/j.amepre.2011.01.019>

Barraclough, S., & Gleeson, D. (2017). Why Packaging Is Commercially Vital for Tobacco Corporations. *Asia-Pacific Journal of Public Health*, 29(2), 132–139. <https://doi.org/10.1177/1010539516688081>

Beede, P., Lawson, R., & Shepherd, M. (1990). *The promotional impact of cigarette packaging: A study of adolescent responses to Cigarette plain-packs* (Department of Marketing, University of Otago, Dunedin, New Zealand) (p. 35p). Retrieved from <http://www.epistemonikos.org/documents/ad7d15d5fae0ecb9421af7992fa4f54e8abbf946>

Beede, P. C., & Lawson, R. W. (1991). Brand image attraction: the promotional impact of cigarette packaging. *New Zealand Family Physician*, 18, 175–177.

Beede, P., & Lawson, R. (1992). The effect of plain packages on the perception of cigarette health warnings. *Public Health*, 106(4), 315–322. [https://doi.org/10.1016/S0033-3506\(05\)80425-1](https://doi.org/10.1016/S0033-3506(05)80425-1)

- Begh, R., Lindson-Hawley, N., & Aveyard, P. (2015). Does reduced smoking if you can't stop make any difference? *BMC Medicine*, *13*(1), 257. <https://doi.org/10.1186/s12916-015-0505-2>
- Benowitz, N. L., Jacob, P., Bernert, J. T., Wilson, M., Wang, L., Allen, F., & Dempsey, D. (2005). Carcinogen exposure during short-term switching from regular to 'light' cigarettes. *Cancer Epidemiology, Biomarkers & Prevention: A Publication of the American Association for Cancer Research, Cosponsored by the American Society of Preventive Oncology*, *14*(6), 1376–1383. <https://doi.org/10.1158/1055-9965.EPI-04-0667>
- Benowitz, N. L., & Burbank, A. D. (2016). Cardiovascular toxicity of nicotine: Implications for electronic cigarette use. *Trends in Cardiovascular Medicine*, *26*(6), 515–523. <https://doi.org/10.1016/j.tcm.2016.03.001>
- Best, C., Haseen, F., Currie, D., Ozakinci, G., MacKintosh, A. M., Stead, M., ... Haw, S. (2018). Relationship between trying an electronic cigarette and subsequent cigarette experimentation in Scottish adolescents: a cohort study. *Tobacco Control*, *27*(4), 373–378. <https://doi.org/10.1136/tobaccocontrol-2017-053691>
- Biener, L., & Siegel, M. B. (2001). *Changing Adolescent Smoking Prevalence - Where It Is and Why. Smoking and Tobacco Control Monograph No. 14*. U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute.
- Bjartveit, K., & Tverdal, A. (2005). Health consequences of smoking 1–4 cigarettes per day. *Tobacco Control*, *14*(5), 315–320. <https://doi.org/10.1136/tc.2005.011932>
- Blecher, E., Liber, A., Ross, H., & Birckmayer, J. (2015). Euromonitor data on the illicit trade in cigarettes. *Tobacco Control*, *24*(1), 100–101. <https://doi.org/10.1136/tobaccocontrol-2013-051034>
- Bondy, S., Paglia, A., & Kaiserman, M. J. (1994). *Tobacco purchasing and marketing. Youth Smoking Survey*. Technical Report. Ottawa, ON: Health Canada.
- Bonhomme, J., Eisen, K., Lalley, K. (1998). *Marketing research department report: Marlboro Ultra Lights qualitative research*. Philip Morris. Bates: 2043293420/3423. Retrieved from <http://legacy.library.ucsf.edu/tid/pxu83e00/pdf?search=%22the%20colour%20of%20the%20pack%20clearly%20influences%20perceptions%20of%20the%20product%20s%20strength%22>
- Borland, R. (1997). Tobacco health warnings and smoking-related cognitions and behaviours. *Addiction (Abingdon, England)*, *92*(11), 1427–1435.
- Borland, R., & Hill, D. (1997). Initial impact of the new Australian tobacco health warnings on knowledge and beliefs. *Tobacco Control*, *6*(4), 317–325.
- Borland, R., Yong, H.-H., King, B., Cummings, K. M., Fong, G. T., Elton-Marshall, T., ... McNeill, A. (2004). Use of and beliefs about light cigarettes in four countries: Findings from the International Tobacco Control Policy Evaluation Survey. *Nicotine & Tobacco Research*, *6*(Suppl_3), S311–S321. <https://doi.org/10.1080/1462220412331320716>
- Borland, R., Fong, G. T., Yong, H.-H., Cummings, K. M., Hammond, D., King, B., ... Zanna, M. P. (2008). What happened to smokers' beliefs about light cigarettes when "light/mild" brand descriptors were banned in the UK? Findings from the International

- Tobacco Control (ITC) Four Country Survey. *Tobacco Control*, 17(4), 256–262.
<https://doi.org/10.1136/tc.2007.023812>
- Borland, R., Yong, H.-H., Wilson, N., Fong, G. T., Hammond, D., Cummings, K. M., ... McNeill, A. (2009). How reactions to cigarette packet health warnings influence quitting: findings from the ITC Four-Country survey. *Addiction (Abingdon, England)*, 104(4), 669–675. <https://doi.org/10.1111/j.1360-0443.2009.02508.x>
- Borland, R., Wilson, N., Fong, G. T., Hammond, D., Cummings, K. M., Yong, H.-H., ... McNeill, A. (2009). Impact of graphic and text warnings on cigarette packs: findings from four countries over five years. *Tobacco Control*, 18(5), 358–364.
<https://doi.org/10.1136/tc.2008.028043>
- Borland, R., & Savvas, S. (2013). Effects of stick design features on perceptions of characteristics of cigarettes. *Tobacco Control*, 22(5), 331–337.
<https://doi.org/10.1136/tobaccocontrol-2011-050199>
- Borland, R., Savvas, S., Sharkie, F., & Moore, K. (2013). The impact of structural packaging design on young adult smokers' perceptions of tobacco products. *Tobacco Control*, 22(2), 97–102. <http://doi.org/10.1136/tobaccocontrol-2011-050078>
- Borland R., & Savvas S. (2014). The effects of variant descriptors on the potential effectiveness of plain packaging. *Tobacco Control*, 23(1), 58–63.
<http://doi.org/10.1136/tobaccocontrol-2012-050736>
- Braun, S., Mejia, R., Ling, P. M., & Pérez-Stable, E. J. (2008). Tobacco industry targeting youth in Argentina. *Tobacco Control*, 17(2), 111–117.
<https://doi.org/10.1136/tc.2006.018481>
- Brennan, E., Durkin, S., Coomber, K., Zacher, M., Scollo, M., & Wakefield, M. (2015). Are quitting-related cognitions and behaviours predicted by proximal responses to plain packaging with larger health warnings? Findings from a national cohort study with Australian adult smokers. *Tobacco Control*, 24(Suppl 2), ii33–ii41.
<https://doi.org/10.1136/tobaccocontrol-2014-052057>
- Brennan, E., Bayly, M., Scollo, M., Zacher, M., & Wakefield, M. A. (2018). Observed smoking and tobacco pack display in Australian outdoor cafés 2 years after implementation of plain packaging. *European Journal of Public Health*, 28(4), 702–707.
<https://doi.org/10.1093/eurpub/cky051>
- British-American Tobacco Company Limited, Miller, L. (1986). *Principles of Measurement of Visual Standout in Pack Design*. *British American Tobacco Records*. Bates No. 105364841-105364951. Retrieved from
<https://www.industrydocumentslibrary.ucsf.edu/tobacco/docs/fsgv0201>
- Brose, L. S., Chong, C. B., Aspinall, E., Michie, S., & McEwen, A. (2014). Effects of standardised cigarette packaging on craving, motivation to stop and perceptions of cigarettes and packs. *Psychology & Health*, 29(7), 849–860.
<https://doi.org/10.1080/08870446.2014.896915>
- Brown, A., McNeill, A., Mons, U., & Guignard, R. (2012). Do smokers in Europe think all cigarettes are equally harmful? *European Journal of Public Health*, 22(suppl_1), 35–40.
<https://doi.org/10.1093/eurpub/ckr198>

Burns, D. M., Major, J. M., Shanks, T. G., Thun, M. J., Samet, J. M. (2001) *Smoking Lower Yield Cigarettes and Disease Risks*. In: Shopland, D. R., Burns, D. M., Benowitz, N. L., Amacher, R. H. (2001) NCI smoking and tobacco control monograph 13: Risks Associated with Smoking Cigarettes with Low Machine-Measured Yields of Tar and Nicotine. Bethesda, MD: US Dept of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute. pp. 65-158

Campaign for Tobacco-Free Kids. (2013a). *Not your grandfather's cigar: A new generation of cheap and sweet cigars threatens a new generation of kids*. Washington, DC. Retrieved from http://www.tobaccofreekids.org/content/what_we_do/industry_watch/cigar_report/2013Cigar_Report_Full.pdf

Campaign for Tobacco-Free Kids. (2013b). *The rise of cigars and cigar-smoking harms*. Washington, DC. Retrieved from <http://www.tobaccofreekids.org/research/factsheets/pdf/0333.pdf>

Campaign for Tobacco Free Kids. (2017). *Larger Health Warning Labels are More Effective*. Retrieved from https://www.tobaccofreekids.org/assets/global/pdfs/en/GHW_larger_en.pdf

Campaign for Tobacco Free Kids. (2018a). *Tobacco Health Warnings: Evidence of Effectiveness*. Retrieved from <https://www.tobaccofreekids.org/assets/factsheets/0325.pdf>

Cancer Council Victoria (2014). Comments on Kaul & Wolf: The (Possible) Effect of Plain Packaging on the Smoking Prevalence of Minors in Australia: A Trend Analysis.

Calabro, K. S., Costello, T. C., & Prokhorov, A. V. (2010). Denormalization of tobacco use and the role of the pediatric health-care provider. *Pediatric Allergy, Immunology, and Pulmonology*, 23(4), 273-8.

Carpenter, C. M., Wayne, G. F., & Connolly, G.N. (2005). Designing cigarettes for women: New findings from the tobacco industry documents. *Addiction*, 100(6), 837–851. <http://doi.org/10.1111/j.1360-0443.2005.01072.x>

Carpenter, C. M., Wayne, G. F., & Connolly, G.N. (2007). The role of sensory perception in the development and targeting of tobacco products. *Addiction*, 102(1), 136-147

Carpenter, C., & Cook, P. J. (2008). Cigarette taxes and youth smoking: new evidence from national, state, and local Youth Risk Behavior Surveys. *Journal of Health Economics*, 27(2), 287–299. <https://doi.org/10.1016/j.jhealeco.2007.05.008>

Carter, O., Mills, B. W., Phan, T., & Bremner, J. R. (2012). Measuring the effect of cigarette plain packaging on transaction times and selection errors in a simulation experiment. *Tobacco Control*, 21(6), 572–577. <http://doi.org/10.1136/tobaccocontrol-2011-050087>

Carter, O., Welch, M., Mills, B., Phan, T., & Chang, P. (2013). Plain packaging for cigarettes improves retail transaction times. *BMJ*, 346, f1063. <https://doi.org/10.1136/bmj.f1063>

Centre for Health Promotion. (1993). *Effects of Plain Packaging on the Image of Tobacco Products Among Youth*. Toronto: University of Toronto. Retrieved from http://tobaccocontrol.bmj.com/lookup/google-scholar?link_type=googlescholar&gs_type=article

Centre for Tobacco Control Research. (2012). *The packaging of tobacco products*. Retrieved from https://www.cancerresearchuk.org/sites/default/files/cancer_research_uk-

funded_report_on_tobacco_packaging_written_by_the_centre_for_tobacco_control_research.pdf

Chaloupka, F. J. (2014). Taxes, prices and illicit trade: the need for sound evidence. *Tobacco Control*, 23(e1), e1-2. <https://doi.org/10.1136/tobaccocontrol-2014-051739>

Chaloupka, F.J. (2018). Expert Report on Singapore's Standardised Tobacco Packaging Proposal.

Chantler, S. C. (2014). Standardised packaging of tobacco. Retrieved from <http://www.kcl.ac.uk/health/10035-TSO-2901853-Chantler-Review-ACCESSIBLE.PDF>

Chapman, S., & Liberman, J. (2005). Ensuring smokers are adequately informed: reflections on consumer rights, manufacturer responsibilities, and policy implications. *Tobacco Control*, 14(Suppl 2), ii8–ii13. <https://doi.org/10.1136/tc.2005.012591>

Chen, H., Ng, S., & Rao, A. R. (2005). Cultural Differences in Consumer Impatience. *Journal of Marketing Research*, 42(3), 291–301. <https://doi.org/10.1509/jmkr.2005.42.3.291>

Cher, B. P., Chen, C., & Yoong, J. (2017). Prevalence-based, disease-specific estimate of the social cost of smoking in Singapore. *BMJ Open*, 7(4), e014377. <https://doi.org/10.1136/bmjopen-2016-014377>

Chia, K. S., Miller, C. (2018a). *Review of Literature and Research on the Policy Impact of Standardised Packaging for Tobacco Products*.

Chia, K. S., Miller, C. (2018b). *Post Public Consultation Addendum to Literature and Research on the Policy Impact of Standardised Packaging for Tobacco Products*.

Chipty, T. (2016). *Study of the impact of the tobacco plain packaging measure on smoking prevalence in Australia*. Appendix A. In: Australian Government Department of Health. Post-Implementation Review. (2016).

Cho, Y. J., Thrasher, J. F., Swayampakala, K., Yong, H.-H., McKeever, R., Hammond, D., & Borland, R. (2016). Does reactance against cigarette warning labels matter? Warning label responses and downstream smoking cessation amongst adult smokers in Australia, Canada, Mexico and the United States. *PLoS One*, 11(7), e0159245.

Chow, C. S., Kaynak, E., & Mak, W. (2015). The effect of plain packaging format in cigarette labeling on smoking intent and brand likability among young non-smokers in Macau. *Asia Pacific Journal of Marketing and Logistics*, 27(1), 23-39.

Conner, M., Grogan, S., Simms-Ellis, R., Flett, K., Sykes-Muskett, B., Cowap, L., ... Siddiqi, K. (2018). Do electronic cigarettes increase cigarette smoking in UK adolescents? Evidence from a 12-month prospective study. *Tobacco Control*, 27(4), 365–372. <https://doi.org/10.1136/tobaccocontrol-2016-053539>

Cooke, W. H., Pokhrel, A., Dowling, C., Fogt, D. L., & Rickards, C. A. (2015). Acute inhalation of vaporized nicotine increases arterial pressure in young non-smokers: a pilot study. *Clinical Autonomic Research: Official Journal of the Clinical Autonomic Research Society*, 25(4), 267–270. <https://doi.org/10.1007/s10286-015-0304-z>

Consulting Group - Asia Insight. (2015a). Findings for Tobacco Packaging Study (Theme 1). Singapore: Substance Abuse Department. Retrieved from www.moh.gov.sg/proposed-tobacco-control-measures.

Consulting Group - Asia Insight. (2015b). Findings for Tobacco Packaging Study (Theme 2). Singapore: Substance Abuse Department. Retrieved from www.moh.gov.sg/proposed-tobacco-control-measures.

Consulting Group - Asia Insight. (2015c). Findings for Tobacco Packaging Study (Theme 3). Singapore: Substance Abuse Department. Retrieved from www.moh.gov.sg/proposed-tobacco-control-measures.

Consulting Group - Asia Insight. (2016a). Findings for Tobacco Packaging Study (Quantitative). Singapore: Substance Abuse Department. Retrieved from www.moh.gov.sg/proposed-tobacco-control-measures.

Consulting Group - Asia Insight. (2016b). Findings for Tobacco Packaging Study (Theme 4). Singapore: Substance Abuse Department. Retrieved from www.moh.gov.sg/proposed-tobacco-control-measures.

Coomber, K., Zacher, M., Durkin, S., Brennan, E., Scollo, M., Wakefield, M. (2015). *Australian National Tobacco Plain Packaging Tracking Survey: Technical Report*. Prepared for: Australian Government Department of Health. Victoria: Centre for Behavioural Research in Cancer, Cancer Council Victoria.

Cummings, K. M., Morley, C. P., Horan, J. K., Steger, C., & Leavell, N.-R. (2002). Marketing to America's youth: evidence from corporate documents. *Tobacco Control*, 11(Supplement 1), i5–i17. http://doi.org/10.1136/tc.11.suppl_1.i5

Cummings, K. M., Hyland, A., Bansal, M. A., & Giovino, G. A. (2004). What do Marlboro Lights smokers know about low-tar cigarettes? *Nicotine & Tobacco Research: Official Journal of the Society for Research on Nicotine and Tobacco*, 6 Suppl 3, S323-332.

Cummings, K. M., & Proctor, R. N. (2014). The Changing Public Image of Smoking in the United States: 1964–2014. *Cancer Epidemiology, Biomarkers & Prevention: A Publication of the American Association for Cancer Research, Cosponsored by the American Society of Preventive Oncology*, 23(1), 32–36. <https://doi.org/10.1158/1055-9965.EPI-13-0798>

Churchill, G. A., & Iacobucci, D. (2004). *Marketing Research: Methodological Foundations 9th Edition*. Thomson/South-Western. p. 265

D'Avernas, J., Northrup, D., Foster, M., et al. (1997). *Cigarette packaging and event marketing increases the attractiveness of smoking: A study of youth*. Working Papers Series No. 28. Toronto, Ontario, Canada. The Ontario Tobacco Research Unit, 1997.

Davidson, S. (2016a). What is it with government and dodgy regressions? Retrieved 22 October 2018, from <http://catallaxyfiles.com/2016/02/26/what-is-it-with-government-and-dodgy-regressions/>

Davidson, S. (2016b). Almost as bad as the hockey stick. Retrieved 22 October 2018, from <http://catallaxyfiles.com/2016/03/04/almost-as-bad-as-the-hockey-stick/>

Davidson, S. (2018). Submission to Singaporean Plain Packaging Consultation.

Davidson, S., & de Silva, A. (2016). Stubbing Out the Evidence of Tobacco Plain Packaging Efficacy: An Analysis of the Australian National Tobacco Plain Packaging Survey. *SSRN Electronic Journal*. <https://doi.org/10.2139/ssrn.2780938>

Department of Health, Australia. (2016). *Evaluation of tobacco plain packaging in Australia, (March), 0–19*. Retrieved from

<http://www.health.gov.au/internet/main/publishing.nsf/Content/tobacco-plain-packaging-evaluation>

Department of Health, Australia. (2016). *Post-Implementation Review: Tobacco Plain Packaging 2016*. Retrieved from ris.pmc.gov.au/2016/02/26/tobacco-plain-packaging/.

Devlin, E., Eadie, D., & Angus, K. (2003). *Low Tar Product Category*. The Centre for Tobacco Control Research, University of Strathclyde. Prepared for NHS Health Scotland. Retrieved from <http://www.tobaccopapers.com/casestudies/Low-Tar.pdf>

Dewe, M., Ogden, J., & Coyle, A. (2015). The cigarette box as an advertising vehicle in the United Kingdom: A case for plain packaging. *Journal of Health Psychology, 20*(7), 954–962. <https://doi.org/10.1177/1359105313504236>

Diethelm, P. A., & Farley, T. M. (2015). Refuting tobacco-industry funded research: empirical data shows decline in smoking prevalence following introduction of plain packaging in Australia. *Tobacco Prevention & Cessation, 1*(November). <https://doi.org/10.18332/tpc/60650>

DiFranza, J. R., Wellman, R. J., Sargent, J. D., Weitzman, M., Hipple, B. J., Winickoff, J. P., & Tobacco Consortium, Center for Child Health Research of the American Academy of Pediatrics. (2006). Tobacco promotion and the initiation of tobacco use: assessing the evidence for causality. *Pediatrics, 117*(6), e1237-1248. <https://doi.org/10.1542/peds.2005-1817>

DiFranza, J. R., Eddy, J. J., Brown, L. F., Ryan, J. L., & Bogojavlensky, A. (1994). Tobacco acquisition and cigarette brand selection among youth. *Tobacco Control, 3*(4), 334–338. <http://doi.org/10.1136/tc.3.4.334>

Doll, R., Peto, R., Boreham, J., & Sutherland, I. (2004). Mortality in relation to smoking: 50 years' observations on male British doctors. *BMJ, 328*(7455), 1519. <https://doi.org/10.1136/bmj.38142.554479.AE>

Donovan R. (1993). *Smokers' and non-smokers' reactions to standard packaging of cigarettes*. Perth, Australia: University of Western Australia.

Donovan, R. J., Jancey, J., & Jones, S. (2002). Tobacco point of sale advertising increases positive brand user imagery. *Tobacco Control, 11*(3), 191–4. <http://doi.org/10.1136/TC.11.3.191>

Doxey, J., & Hammond, D. (2011). Deadly in pink: the impact of cigarette packaging among young women. *Tobacco Control, 20*(5), 353–360. <http://doi.org/10.1136/tc.2010.038315>

Droulers, O., Gallopel-Morvan, K., Lacoste-Badie, S., & Lajante, M. (2017). The influence of threatening visual warnings on tobacco packaging: Measuring the impact of threat level, image size, and type of pack through psychophysiological and self-report methods. *PloS One, 12*(9), e0184415.

Dryden, N. (2015). The impact of Tobacco Plain Packaging in Australia: an update report for the Post-Implementation Review.

Dryden, N. (2017). The effects of standardised packaging: an empirical analysis. Dated 10 October 2017. Submitted as part of the BAT's feedback to the Public Consultation on the Standardised Packaging Proposal. Dated 16 March 2018 (Annex 6).

- Dunlop, S. M., Dobbins, T., Young, J. M., Perez, D., & Currow, D. C. (2014). Impact of Australia's introduction of tobacco plain packs on adult smokers' pack-related perceptions and responses: results from a continuous tracking survey. *BMJ Open*, 4(12), e005836. <https://doi.org/10.1136/bmjopen-2014-005836>
- Dunlop, S., Perez, D., Dossaix, A., & Currow, D. (2016). Australia's plain tobacco packs: anticipated and actual responses among adolescents and young adults 2010–2013. *Tobacco Control*, 26(6), 617–626. <https://doi.org/10.1136/tobaccocontrol-2016-053166>
- Durkin, S., Brennan, E., Coomber, K., Zacher, M., Scollo, M., & Wakefield, M. (2015). Short-term changes in quitting-related cognitions and behaviours after the implementation of plain packaging with larger health warnings: findings from a national cohort study with Australian adult smokers. *Tobacco Control*, 24(Supplement 2), ii33-ii41. <http://doi.org/10.1136/tobaccocontrol-2014-052057>
- Elliott and Shanahan Research. (2002). *Developmental Research for New Australian Health Warnings on Tobacco Products: Stage 1*. Prepared for: Population Health Division Department of Health and Ageing. Retrieved from http://www.who.int/fctc/treaty_instruments/ArtElevenAustraliaTwentyone.pdf
- Elton-Marshall, T., Xu, S. S., Meng, G., Quah, A. C. K., Sansone, G. C., Feng, G., ... Fong, G. T. (2015). The lower effectiveness of text-only health warnings in China compared to pictorial health warnings in Malaysia. *Tobacco Control*, 24(Suppl 4), iv6–iv13. <https://doi.org/10.1136/tobaccocontrol-2015-052616>
- Emmanuel S. C., Chen A. J., Phe A. (1988). Cigarette smoking in Singapore. *Singapore Medical Journal*, 29, 119-24.
- Environics Research Group. (2007). *The Health Effects of Tobacco and Health Warning Messages on Cigarette Packages: Survey of Youth: Wave 12 Surveys*. Prepared for Health Canada.
- Environics Research Group. (2008). *Consumer research on the size of health warning messages – quantitative study of Canadian adult smokers: final report*. Health Canada. Retrieved from <http://www.tobaccolabels.ca/wp/wp-content/uploads/2013/12/Canada-2008-Consumer-Research-on-the-Size-of-Health-Warning-Messages-CDN-Adults-Government-Report.pdf>
- Etter, J.-F. (2018). Gateway effects and electronic cigarettes. *Addiction (Abingdon, England)*, 113(10), 1776–1783. <https://doi.org/10.1111/add.13924>
- Euromonitor International. (2017). *Passport: Tobacco in Singapore*. July 2017.
- Europe Economics. (2016). *Analysis of the Chipty Report's Conclusions regarding packaging changes and smoking prevalence in Australia*. Retrieved from <https://www.jti.com/sites/default/files/key-regulatory-submissions-documents/submissions/canada/2.1reg-sub-analysis-of-the-chipty-reports-conclusions-regarding-packaging-changes-and-smoking-prevalence-in-australia-dr-a-lilico-30-august-2016.pdf>
- Europe Economics (2017). TPD2 and standardised tobacco packaging – What impacts have they had so far?. Retrieved from <https://www.jti.com/sites/default/files/Europe-Economics-TPD-PP-2017-11.pdf>

Europe Economics (2018). *TPD2 and standardised packaging – what impacts have they had so far?*. Retrieved from http://www.europe-economics.com/publications/tpd2_and_standardised_tobacco_packaging_may_2018.pdf

Evans-Reeves, K. A., Hatchard, J. L., & Gilmore, A. B. (2015). “It will harm business and increase illicit trade”: an evaluation of the relevance, quality and transparency of evidence submitted by transnational tobacco companies to the UK consultation on standardised packaging 2012. *Tobacco Control*, *24*(e2), e168–e177. <http://doi.org/10.1136/tobaccocontrol-2014-051930>

Farrelly, M. C., Davis, K. C., Haviland, M. L., Messeri, P., & Heaton, C. G. (2005). Evidence of a dose—response relationship between “truth” antismoking ads and youth smoking prevalence. *American Journal of Public Health*, *95*(3), 425-431.

Farsalinos, K., F. Cibella, P. Caponnetto, D. Campagna, J. B. Morjaria, E. Battaglia, M. Caruso, C. Russo, and R. Polosa. (2016). Effect of continuous smoking reduction and abstinence on blood pressure and heart rate in smokers switching to electronic cigarettes. *Internal and Emergency Medicine*, *11*(1):85-94.

Fathelrahman, A. I., Li, L., Borland, R., Yong, H., Omar, M., Awang, R., Sirirassamee, B., Fong, G. T., & Hammond, D. (2013). Stronger pack warnings predict quitting more than weaker ones: finding from the ITC Malaysia and Thailand surveys. *Tobacco Induced Diseases*, *11*(1), 1.

Fong, G. T., Cummings, K. M., Borland, R., Hastings, G., Hyland, A., Giovino, G. A., Hammond, D., & Thompson, M. E. (2006). The conceptual framework of the International Tobacco Control (ITC) Policy Evaluation Project. *Tobacco Control*, *15*(Suppl III), iii3-iii11.

Fong, G. T., Hammond, D., & Hitchman, S. C. (2009). The impact of pictures on the effectiveness of tobacco warnings. *Bulletin of the World Health Organization*, *87*(8), 640–643. <http://doi.org/10.2471/BLT.09.069575>

Fong, G. T. (2018). Singapore’s Standardised Packaging Proposal.

Ford, A., Moodie, C., & Hastings, G. (2012). The role of packaging for consumer products: Understanding the move towards “plain” tobacco packaging. *Addiction Research & Theory*, *20*(4), 339–347. <http://doi.org/10.3109/16066359.2011.632700>

Ford, A., Mackintosh, A. M., Moodie, C., Richardson, S., & Hastings, G. (2013a). Cigarette pack design and adolescent smoking susceptibility: a cross-sectional survey. *BMJ Open*, *3*(9), e003282. <http://doi.org/10.1136/bmjopen-2013-003282>

Ford, A., Moodie, C., MacKintosh, A., & Hastings, G. (2013b). How adolescents perceive cigarette packaging and possible benefits of plain packaging. *Education and Health*, *31*(2), 83-88.

Ford, A., Moodie, C., Mackintosh, A. M., Hastings, G. (2014). Adolescent perceptions of cigarette appearance. *European Journal of Public Health*, *24*(3), 464-468.

Ford, A., Moodie, C., Purves, R., MacKintosh, A. M. (2016). Adolescent girls and young adult women’s perceptions of superslims cigarette packaging: a qualitative study. *BMJ Open*, *6*, 1-8.

Forsyth, S. R., Kennedy, C., & Malone, R. E. (2013). The effect of the internet on teen and young adult tobacco use: a literature review. *Journal of Pediatric Health Care*, *27*(5), 367-376.

- Freeman, B., Chapman, S., & Rimmer, M. (2008). The case for the plain packaging of tobacco products. *Addiction*, *103*(4), 580-590.
- Freeman, D., Brucks, M., Wallendorf, M., & Boland, W. (2009). Youths' understandings of cigarette advertisements. *Addictive Behaviors*, *34*(1), 36–42. <http://doi.org/10.1016/j.addbeh.2008.08.007>
- Friberg, R. & Sanctuary, M. (2018). Market Stealing and Market Expansion: An Examination of Product Introductions in the Organic Coffee Market. *Environmental Economics & Policy Studies*, *20*(2), 287-303
- Gallopel-Morvan, K., Béguinot, E., Eker, F., Martinet, Y., Hammond, D. (2011). Effectiveness perception of plain packaging of tobacco products: findings from France. *Bulletin epidemiologique hebdomadaire*, *20*, 244-247
- Gallopel-Morvan, K., Moodie, C., Hammond, D., Eker, F., Beguinot, E., & Martinet, Y. (2012a). Consumer perceptions of cigarette pack design in France: a comparison of regular, limited edition and plain packaging. *Tobacco Control*, *21*(5), 502–506. <http://doi.org/10.1136/tobaccocontrol-2011-050079>
- Gallopel-Morvan, K., Jacques, O., Mathias, W., & Pino, J. M. R. (2012b). Demarketing tobacco products: The influence of plain packs on smokers and non-smokers perceptions and behavioural intentions. *Journal d'Economie Medicale*, *30*(5), 322–331. <http://doi.org/10.3917/jgem.125.0322>
- Gallopel-Morvan, K., Gabriel, P., LeGall-Ely, M., Rieunier, S., Urien, B. (2013). Plain packaging to help public health. The case of tobacco control. *Journal of Business Research*, *66*, 133-136.
- Gallopel-Morvan, K., Moodie, C., Eker, F., Beguinot, E., & Martinet, Y. (2015). Perceptions of plain packaging among young adult roll-your-own smokers in France: a naturalistic approach. *Tobacco Control*, *24*(e1), e39–e44. <http://doi.org/10.1136/tobaccocontrol-2013-051513>
- Gallopel-Morvan, K., Hoek, J., & Rieunier, S. (2017). Do Plain Packaging and Pictorial Warnings Affect Smokers' and Non-Smokers' Behavioral Intentions? *Journal of Consumer Affairs*, *52*(1), 5–34. <https://doi.org/10.1111/joca.12145>
- Gartner, C. E., Barendregt, J. J., & Hall, W. D. (2009). Predicting the future prevalence of cigarette smoking in Australia: how low can we go and by when? *Tobacco Control*, *18*(3), 183-189.
- Gendall, P., Hoek, J., Edwards, R., & McCool, J. (2012). A cross-sectional analysis of how young adults perceive tobacco brands: implications for FCTC signatories. *BMC Public Health*, *12*(1), 796. <http://doi.org/10.1186/1471-2458-12-796>
- Gendall, P., Eckert, C., Hoek, J., Farley, T., Louviere, J., Wilson, N., & Edwards, R. (2015). Estimating the 'consumer surplus' for branded versus standardised tobacco packaging. *Tobacco Control*, *25*(6), 641–647. <https://doi.org/10.1136/tobaccocontrol-2015-052488>
- Germain, D., Wakefield, M. A., & Durkin, S. J. (2010). Adolescents' perceptions of cigarette brand image: does plain packaging make a difference? *The Journal of Adolescent Health: Official Publication of the Society for Adolescent Medicine*, *46*(4), 385–392. <https://doi.org/10.1016/j.jadohealth.2009.08.009>

- Gilmore, A. B., Rowell, A., Gallus, S., Lugo, A., Joossens, L., & Sims, M. (2014). Towards a greater understanding of the illicit tobacco trade in Europe: a review of the PMI funded 'Project Star' report. *Tobacco Control*, 23(e1), e51–e61. <https://doi.org/10.1136/tobaccocontrol-2013-051240>
- Gilpin, E., Emery, S., White, M., & Pierce, J. (2002). Does tobacco industry marketing of 'light' cigarettes give smokers a rationale for postponing quitting? *Nicotine & Tobacco Research*, 4(4), 147-155.
- Goldberg, M. E. (1995). *When Packages Can't Speak: Possible impacts of plain and generic packaging of tobacco products. Expert report prepared at the request of Health Canada.* Retrieved from http://images.wikia.com/antiantismoking/images/c/c4/Canada_Expert_Panel_Report_-_When_Packages_Can%27t_Speak_Mar_95_-_excerpt.pdf
- Goldberg, M. E., Liefeld, J., Madill, J., & Vredenburg, H. (1999). The effect of plain packaging on response to health warnings. *American Journal of Public Health*, 89(9), 1434–1435.
- Goldenberg, J. L., & Arndt, J. (2008). The implications of death for health: a terror management health model for behavioral health promotion. *Psychological Review*, 115(4), 1032–1053. <https://doi.org/10.1037/a0013326>
- Goriounova, N. A., & Mansvelder, H. D. (2012). Short- and Long-Term Consequences of Nicotine Exposure during Adolescence for Prefrontal Cortex Neuronal Network Function. *Cold Spring Harbor Perspectives in Medicine*, 2(12). <https://doi.org/10.1101/cshperspect.a012120>
- Grant, I., Hassan, L., Hastings, G., MacKintosh, A., & Eadie, D. (2008). The influence of branding on adolescent smoking behaviour: Exploring the mediating role of image and attitudes. *International Journal of Nonprofit and Voluntary Sector Marketing*, 13(3), 275-285.
- Gravelly, S., Fong, G. T., Driezen, P., McNally, M., Thrasher, J. F., Thompson, M. E., ... Hammond, D. (2016). The impact of the 2009/2010 enhancement of cigarette health warning labels in Uruguay: longitudinal findings from the International Tobacco Control (ITC) Uruguay Survey. *Tobacco Control*, 25(1), 89–95. <https://doi.org/10.1136/tobaccocontrol-2014-051742>
- Green, A. (2017). Investigating the Impact of the 2012 Canadian Graphic Health Warning Label Revisions: Findings from the ITC Canada Survey. Retrieved from <https://uwspace.uwaterloo.ca/handle/10012/12236>
- Greenland, S. J. (2015). Cigarette brand variant portfolio strategy and the use of colour in a darkening market. *Tobacco Control*, 24(e1), e65–e71. <https://doi.org/10.1136/tobaccocontrol-2013-051055>
- Gruber, J., Köszegi, B. (2001). Is Addiction “Rational”? Theory and Evidence. *Quarterly Journal of Economics*, 116(4), 1261-1303.
- Guillaumier, A., Bonevski, B., Paul, C., Durkin, S., & D'Este, C. (2014). Socioeconomically disadvantaged smokers' ratings of plain and branded cigarette packaging: an experimental study. *BMJ Open*, 4(2), e004078. <https://doi.org/10.1136/bmjopen-2013-004078>

- Haighton, C., Taylor, C., & Rutter, A. (2017). Standardized packaging and illicit tobacco use: A systematic review. *Tobacco Prevention & Cessation*, 3(May). <https://doi.org/10.18332/tpc/70277>
- Hajek, P., Stead, L. F., West, R., Jarvis, M., Hartmann-Boyce, J., & Lancaster, T. (2013). Relapse prevention interventions for smoking cessation. *The Cochrane Database of Systematic Reviews*, (8), CD003999. <https://doi.org/10.1002/14651858.CD003999.pub4>
- Hall, M. G., Mendel, J. R., Noar, S. M., & Brewer, N. T. (2018). Why smokers avoid cigarette pack risk messages: two randomized clinical trials in the United States. *Social Science & Medicine*, 213, 165-172.
- Hammond, D., Fong, G. T., McDonald, P. W., Brown, K. S., & Cameron, R. (2004). Graphic Canadian cigarette warning labels and adverse outcomes: evidence from Canadian smokers. *American Journal of Public Health*, 94(8), 1442–1445.
- Hammond, D., Fong, G. T., McNeill, A., Borland, R., Cummings, K. M. (2006). Effectiveness of cigarette warning labels in informing smokers about the risks of smoking: findings from the International Tobacco Control (ITC) Four Country Survey. *Tobacco Control*, 1(5), iii19-iii25
- Hammond, D., Fong, G., Borland, R., Cummings, K., McNeill, A., & Driezen, P. (2007). Communicating Risk to Smokers: The Impact of Health Warnings on Cigarette Packages. *American Journal Of Preventive Medicine*, 32(3), 202-209.
- Hammond, D. (2008). *Health warnings on tobacco packages: Summary of evidence and legal challenges*. Tobacco Labelling Resource Centre. Retrieved from [https://www.tobaccofreekids.org/assets/global/pdfs/reports_articles/India%20Labelling%20Review-Revised%20\(Hammond%202008\).pdf](https://www.tobaccofreekids.org/assets/global/pdfs/reports_articles/India%20Labelling%20Review-Revised%20(Hammond%202008).pdf)
- Hammond, D. (2009). *Evidence Review: Chapter One in Tobacco labelling and packaging toolkit*. Tobacco Labelling Resource Centre.
- Hammond, D., Dockrell, M., Arnott, D., Lee, A., & McNeill, A. (2009). Cigarette pack design and perceptions of risk among UK adults and youth. *The European Journal of Public Health*, 19(6), 631-637.
- Hammond, D., & Parkinson, C. (2009). The impact of cigarette package design on perceptions of risk. *Journal of Public Health*, 31(3), 345-353.
- Hammond, D. (2010). "Plain packaging" regulations for tobacco products: The impact of standardizing the color and design of cigarette packs. *Salud Publica De Mexico*, 52, S226-S232.
- Hammond, D. (2011). Health warning messages on tobacco products: A review. *Tobacco Control*, 20(5), 327
- Hammond, D., Doxey, J., Daniel, S., & Bansal-Travers, M. (2011). Impact of Female-Oriented Cigarette Packaging in the United States. *Nicotine & Tobacco Research*, 13(7), 579-588.
- Hammond, D., Daniel, S., & White, C. M. (2013). The Effect of Cigarette Branding and Plain Packaging on Female Youth in the United Kingdom. *Journal of Adolescent Health*, 52(2), 151-157.

- Hammond, D. (2014). *Standardised packaging of tobacco products: evidence review prepared on behalf of The Irish Department of Health*. Retrieved from <http://health.gov.ie/wp-content/uploads/2013/12/2014-Ireland-Plain-Pack-Main-Report-Final-Report-July-26.pdf>.
- Hammond, D., White, C., Anderson, W., Arnott, D., & Dockrell, M. The perceptions of UK youth of branded and standardised, 'plain' cigarette packaging. (2014). *European Journal of Public Health*, 24(4), 537–543.
- Hanewinkel, R., Isensee, B., Sargent, J., & Morgenstern, M. (2010). Cigarette advertising and adolescent smoking. *American Journal of Preventive Medicine*, 38(4), 359-366.
- Hanewinkel, R., Isensee, B., Sargent, J. D., & Morgenstern, M. (2011). Cigarette advertising and teen smoking initiation. *Pediatrics*, 127(2), e271-278.
- Hardcastle, S. J., Chan, D. C. K., Caudwell, K. M., Sultan, S., Cranwell, J., Chatzisarantis, N. L. D., & Hagger, M. S. (2016). Larger and More Prominent Graphic Health Warnings on Plain-Packaged Tobacco Products and Avoidant Responses in Current Smokers: a Qualitative Study. *International Journal of Behavioral Medicine*, 23(1), 94–101. <https://doi.org/10.1007/s12529-015-9487-x>
- Harris, J. E., Ares, G., Gerstenblüth, M., Machin, L., & Triunfo, P. (2018). Impact of plain packaging of cigarettes on the risk perception of Uruguayan smokers: an experimental study. *Tobacco Control*, 27(5), 513–518. <https://doi.org/10.1136/tobaccocontrol-2017-053639>
- Hartmann-Boyce, J., McRobbie, H., Bullen, C., Begh, R., Stead, L. F., & Hajek, P. (2016). Electronic cigarettes for smoking cessation. *Cochrane Database of Systematic Reviews*, (9). <https://doi.org/10.1002/14651858.CD010216.pub3>
- Hastings, G. B., Moodie, C. (2015). Death of a salesman. *Tobacco Control*, 24, ii1-ii2.
- Hawkins, S. A., & Hastie, R. (1990). Hindsight: Biased judgments of past events after the outcomes are known. *Psychological Bulletin*, 107(3), 311–327. <https://doi.org/10.1037/0033-2909.107.3.311>
- Health Promotion Board, Singapore. *Survey on perception towards current cigarette packaging and (mock-up) standardised cigarette packaging, Survey findings 2015*. Health Promotion Board, Singapore.
- Health Promotion Board, Singapore. *Perception on Cigarette Packs: Research findings 2017*. Health Promotion Board, Singapore.
- Hitchman, S. C., Driezen, P., Logel, C., Hammond, D., & Fong, G. T. (2014). Changes in effectiveness of cigarette health warnings over time in Canada and the United States, 2002-2011. *Nicotine & Tobacco Research*, 16(5), 536-43.
- Hoek J. (2009). Enhancing the effectiveness of warning labels: plain packs vs. branded packs. Retrieved 22 October 2018, from <https://otcc.confex.com/otcc/otcc07/techprogram/P1260.HTM>
- Hoek, J., Wong, C., Gendall, P., Louviere, J., & Cong, K. (2011). Effects of dissuasive packaging on young adult smokers. *Tobacco Control*, 20(3), 183-188.
- Hoek, J., Gendall, P., Gifford, H., Pirikahu, G., McCool, J., Pene, G., Thomson, G. (2012). Tobacco Branding, Plain Packaging, Pictorial Warnings, and Symbolic Consumption. *Qualitative Health Research*, 22(5), 630-639.

- Hoek, J., Maubach, N., & Gendall, P. (2006). *Tobacco descriptors: an analysis of adolescent's belief and behaviours*. Paper presented at the Australian and New Zealand Marketing Academy Conference, Brisbane.
- Hogarth, L., Maynard, O., & Munafò, M. (2015). Plain cigarette packs do not exert Pavlovian to instrumental transfer of control over tobacco-seeking. *Addiction, 110*(1), 174-182.
- Hsee, C. K., & Weber, E. U. (1999). Cross-national differences in risk preference and lay predictions. *Journal of Behavioral Decision Making, 12*(2), 165-179.
- Hughes, N., Arora, M., & Grills, N. (2016). Perceptions and impact of plain packaging of tobacco products in low and middle income countries, middle to upper income countries and low-income settings in high-income countries: a systematic review of the literature. *BMJ Open, 6*(3), e010391. <https://doi.org/10.1136/bmjopen-2015-010391>
- Inglehart, R. (1997). *Modernization and Postmodernization: Cultural, Economic, and Political Change in 43 Societies*. Princeton University Press.
- Institute of Medicine. (2015). *Public health implications of raising the minimum age of legal access to tobacco products*. Washington, DC: The National Academies Press. Retrieved from http://www.nap.edu/catalog.php?record_id=18997
- International Tobacco Control (ITC) Policy Evaluation Project. *ITC Results*. Retrieved from http://www.itcproject.org/itc_results/.
- Institute of Medicine, Committee on Preventing Nicotine Addiction in Children and Youths. (1994). *Growing Up Tobacco Free: Preventing Nicotine Addiction in Children and Youths*. Retrieved from <http://www.nap.edu/catalog/4757.html>.
- Institute of Medicine. (2015). *Public health implications of raising the minimum age of legal access to tobacco products*. Washington, DC: The National Academies Press.
- ITC Project, World Health Organization, and World Heart Federation (2012). *Cardiovascular harms from tobacco use and secondhand smoke: Global gaps in awareness and implications for action*. Waterloo, Ontario, Canada and Geneva, Switzerland.
- JT International SA v. Commonwealth of Australia; British American Tobacco Australasia Limited v. The Commonwealth*, [2012] HCA 43
- Kacen, J. J., Lee, J. A. (2002). The influence of culture on consumer impulsive buying behaviour. *Journal of Consumer Psychology, 12*(2), 163-76
- Kaul, A., Wolf, M. (2014a). *The (possible) effect of plain packaging on smoking prevalence of minors in Australia: a trend analysis*. Retrieved from <http://www.econ.uzh.ch/static/workingpapers.php?id=828>.
- Kaul, A., & Wolf, M. (2014b). *The (Possible) Effect of Plain Packaging on Smoking Prevalence in Australia: A Trend Analysis* (SSRN Scholarly Paper No. ID 2460704). Rochester, NY: Social Science Research Network. Retrieved from <http://papers.ssrn.com/abstract=2460704>
- Kinard, B. R. & Webster, C. (2010). The Effects of Advertising, Social Influences, and Self-Efficacy on Adolescent Tobacco Use and Alcohol Consumption. *Journal of Consumer Affairs, 44*(1), 24-43.

- Kong, G., M. E. Morean, D. A. Cavallo, D. R. Camenga, and S. Krishnan-Sarin. (2015). Reasons for electronic cigarette experimentation and discontinuation among adolescents and young adults. *Nicotine & Tobacco Research*, 17(7), 847-854.
- Koten, J. (1980). *Tobacco marketers' success formula: Make cigarettes in smokers' own image*. Wall Street Journal, 29 February 1980.
- Kotler, P., & Keller, K. L. (2015). *Marketing Management 15th edition*. p. 390. Pearson Education, Limited.
- Kotler, P., Armstrong, G., Swee-Hoon, A., Siew-Meng, L., Chin-Tiong, T., & Author, P. (2017). *Principles of Marketing, An Asian Perspective 4th edition*. Pearson Education Limited.
- Kotnowski, K., & Hammond, D. (2013). The impact of cigarette pack shape, size and opening: Evidence from tobacco company documents. *Addiction*, 108(9), 1658-1668.
- Kotnowski, K., Fong, G. T., Gallopel-Morvan, K., Islam, T., Hammond, D. (2016) The impact of cigarette packaging design among young females in Canada: findings from a discrete choice experiment. *Nicotine & Tobacco Research*, 18(5):1348-56.
- Kowitt, S. D., Noar, S. M., Goldstein, A. O., & Ranney, L. (2017). Public attitudes toward larger cigarette pack warnings: Results from a nationally representative U.S. sample. *PLoS One*, 12(3):30171496.
- Kozlowski, L., Goldberg, M., & Yost, B. (2000). Measuring smokers' perceptions of the health risks from smoking light cigarettes. *American Journal of Public Health*, 90(8), 1318-9.
- KPMG. (2013). *Illicit tobacco in Australia*. Retrieved from http://www.ecta.org/IMG/pdf/kpmg_report_on_illicit_trade_australia_4_nov_2013.pdf.
- Kreslake, J. M., Wayne, G. F., & Connolly, G. N. (2008). The menthol smoker: tobacco industry research on consumer sensory perception of menthol cigarettes and its role in smoking behavior. *Nicotine & Tobacco Research*, 10(4), 705-15
- Krishna, A., Luca C., and Nilufer Z. (2017). Sensory Aspects of Package Design. *Journal of Retailing*, 93(1), 43-54.
- Kropp, R. Y., & Halpern-Felsher, B. L. (2004). Adolescents' beliefs about the risks involved in smoking 'light' cigarettes. *Pediatrics*, 114, 445.
- Laverty, A. A., Diethelm, P., Hopkinson, N. S., Watt, H. C., & McKee, M. (2015). Use and abuse of statistics in tobacco industry-funded research on standardised packaging. *Tobacco Control*, 24(5), 422-424. <https://doi.org/10.1136/tobaccocontrol-2014-052051>
- Lalley, K., Eisen, K., Bonhomme, J. (1988). *Marketing research department report: Marlboro Ultra Lights qualitative research*. Philip Morris Records. Bates No. 2043293420-2043293423. Retrieved from <https://www.industrydocumentslibrary.ucsf.edu/tobacco/docs/hkhg0127>
- Le Nézet, O., Janssen, E., Brissot, A., Philippon, A., Shah, J., Chyderiotis, S., Silka, S. (2018) The 2017 French ESCAPAD survey: A snapshot of tobacco use at the end of adolescence. *Bulletin Epidémiologique Hebdomadaire*, 14-15, 274-282. Retrieved from http://invs.santepubliquefrance.fr/beh/2018/14-15/2018_14-15_2.html

- Lee, A. Y., Aaker, J. L., & Gardner, W. L. (2000). The pleasures and pains of distinct self-construals: The role of interdependence in regulatory focus. *Journal of Personality and Social Psychology*, 78(6), 1122-1134.
- Lempert, L., & Glantz, S. (2017). Packaging colour research by tobacco companies: The pack as a product characteristic. *Tobacco Control*, 26(3), 307.
- Les Études De Marche Createc, Canada. (2008a). *Quantitative Study of Canadian Youth Smokers and Vulnerable Non-smokers: Effects of Modified Packaging through Increasing the Size of Warnings on Cigarette Packages*. Prepared for Health Canada.
- Les Études De Marche Createc. (2008b). *Quantitative Study of Canadian Adult Smokers Effects of Modified Packaging through Increasing the Size of Warnings on Cigarette Packages*. Prepared for Health Canada.
- Leventhal, A. M., Stone, M. D., Andrabi, N., Barrington-Trimis, J., Strong, D. R., Sussman, S., & Audrain-McGovern, J. (2016). Association of e-Cigarette Vaping and Progression to Heavier Patterns of Cigarette Smoking. *JAMA*, 316(18), 1918–1920. <https://doi.org/10.1001/jama.2016.14649>
- Li, L., Fathelrahman, A. I., Borland, R., Omar, M., Fong, G. T., Quah, A. C. K., Sirirassamee, B., & Yong, H.-H. (2016). Impact of graphic pack warnings on adult smokers' quitting activities: Findings from the ITC Southeast Asia Survey (2005-2014). *Journal of Smoking Cessation*, 11(2), 124-134.
- Libai, B., Muller, E., & Peres, R. (2013). Decomposing the Value of Word-of-Mouth Seeding Programs: Acceleration Versus Expansion. *Journal of Marketing Research*, 50(2), 161–176. <https://doi.org/10.1509/jmr.11.0305>
- Liefeld JP. (1999). *The relative importance of the size, content and pictures on cigarette package warning messages*. Ottawa-Ontario: Health Canada, Health Protection Branch.
- Lim, Z. Y., How, A. L., Zhao, J. M. (2015). The impact of cigarette type on consumers' perception of health risks of smoking. *Universal Journal of Public Health*, 3(5), 187-193.
- Ling, P. M. & Glantz, S. A. (2002). Why and how the tobacco industry sells cigarettes to young adults: evidence from industry documents. *American Journal of Public Health*, 92(6), 908-916.
- London Economics. (2013). An analysis of smoking prevalence in Australia: Final Report. Retrieved from <https://londoneconomics.co.uk/wp-content/uploads/2013/11/London-Economics-Report-Australian-Prevalence-Final-Report-25-11-2013.pdf>
- Loukas, A., C. N. Marti, M. Cooper, K. E. Pasch, and C. L. Perry. 2018. Exclusive e-cigarette use predicts cigarette initiation among college students. *Addictive Behaviors*, 76(Supplement C), 343-347.
- Lovato, C. L. (2007). Tobacco Point-of-Purchase marketing in school neighbourhoods and school smoking prevalence: a descriptive study. *Canadian Journal of Public Health*, 98(4), 265-270.
- Lovato, C., Watts, A., & Stead, L. F. (2011). Impact of tobacco advertising and promotion on increasing adolescent smoking behaviours. *The Cochrane Database of Systematic Reviews*, (10), CD003439. <https://doi.org/10.1002/14651858.CD003439.pub2>

- Lund, I., & Scheffels, J. (2013). Young smokers and non-smokers perceptions of typical users of plain vs. branded cigarette packs: a between-subjects experimental survey. *BMC Public Health*, *13*(1), 1005.
- MacFadyen, L., Hastings, G., & Mackintosh, A. (2001). Cross sectional study of young people's awareness of and involvement with tobacco marketing. *British Medical Journal*, *322*(7285), 513-517.
- Maddox, R., Durkin, S., & Lovett, R. (2016). Plain packaging implementation: perceptions of risk and prestige of cigarette brands among Aboriginal and Torres Strait Islander people. *Australian and New Zealand Journal of Public Health*, *40*(3), 221-225.
- Madill-Marshall, J., Goldberg, M. W., Gorn, G. J., Liefeld, J., Vrendenburg, H. (1996). Two experiments assessing the visual and semantic images associated with current and plain cigarette packaging. *Advances in Consumer Research*, *23*, 267–268.
- Madkour, A. S., Ledford, E. C., Andersen, L., & Johnson, C. C. (2013). Tobacco advertising/promotions and adolescents' smoking risk in Northern Africa. *Tobacco Control*, *23*(3), 244-52.
- Mannocci, A., Colamesta, V., Mipatrini, D., Messina, G., Gualano, M. R., Gianfagna, F., ... La Torre, G. (2015). From directive to practice: are pictorial warnings and plain packaging effective to reduce the tobacco addiction? *Public Health*, *129*(12), 1563–1570. <https://doi.org/10.1016/j.puhe.2015.08.014>
- Maram, H. K., & Kongsompong, K. (2007). *The power of social influence: East-West comparison on purchasing behavior*. International Marketing Conference on Marketing & Society. Retrieved from <http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.569.7193&rep=rep1&type=pdf>
- Mawditt, N. (2006). Putting pack opportunities into the frame. *World Tobacco*, *212*, 36–37
- Maynard, O. M., Munafò, M. R., & Leonards, U. (2013). Visual attention to health warnings on plain tobacco packaging in adolescent smokers and non-smokers. *Addiction (Abingdon, England)*, *108*(2), 413–419. <https://doi.org/10.1111/j.1360-0443.2012.04028.x>
- Maynard, O. M., Attwood, A., O'Brien, L., Brooks, S., Hedge, C., Leonards, U., & Munafò, M. R. (2014). Avoidance of Cigarette Pack Health Warnings among Regular Cigarette Smokers. *Drug and Alcohol Dependence*, *136*, 170–174. <https://doi.org/10.1016/j.drugalcdep.2014.01.001>
- Maynard, O. M., Leonards, U., Attwood, A. S., Bauld, L., Hogarth, L., Munafò, M. R. (2015). Effects of first exposure to plain cigarette packaging on smoking behaviour and attitudes: a randomised controlled study. *BMC Public Health*, *15*, 240.
- Maynard, O. M., Brooks, J. C. W., Munafò, M. R., & Leonards, U. (2017). Neural mechanisms underlying visual attention to health warnings on branded and plain cigarette packs. *Addiction (Abingdon, England)*, *112*(4), 662–672. <https://doi.org/10.1111/add.13699>
- Mays, D., Niaura, R. S., Evans, W. D., Hammond, D., Luta, G., & Tercyak, K. P. (2015). Cigarette packaging and health warnings: the impact of plain packaging and message framing on young smokers. *Tobacco Control*, *24*(e1), e87–e92. <https://doi.org/10.1136/tobaccocontrol-2013-051234>
- McBride, C. (1987) *A Summary of Brand Imagery Studies On Canadian Products*. Imperial Tobacco Limited Research and Development Division. 1987 September. Bates No.

570506735-570506787 Retrieved from

<https://www.industrydocumentslibrary.ucsf.edu/tobacco/docs/xpvp0140>

McCabe Centre for Law & Cancer. *Dispute in the World Trade Organization*. Retrieved from <http://www.mccabecentre.org/focus-areas/tobacco/dispute-in-the-world-trade-organization/>.

McCabe Centre for Law & Cancer. *Domestic challenge to plain packaging: High Court of Australia finds plain packaging constitutional*. Retrieved from <http://www.mccabecentre.org/focus-areas/tobacco/domestic-challenge-to-plain-packaging/>.

McCabe Centre for Law & Cancer. *Philip Morris Asia challenge under Australia-Hong Kong Bilateral Investment Treaty dismissed*. Retrieved from <http://www.mccabecentre.org/focus-areas/tobacco/philip-morris-asia-challenge/>.

McCool, J., Webb, L., Cameron, L. D., & Hoek, J. (2012). Graphic warning labels on plain cigarette packs: Will they make a difference to adolescents? *Social Science & Medicine*, 74(8), 1269–1273. <https://doi.org/10.1016/j.socscimed.2011.12.043>

McNeill, A., Gravely, S., Hitchman, S. C., Bauld, L., Hammond, D., & Hartmann-Boyce, J. (2017). Tobacco packaging design for reducing tobacco use. *The Cochrane Database of Systematic Reviews*, 4, CD011244. <https://doi.org/10.1002/14651858.CD011244.pub2>

Mandel, N. (2003). Shifting selves and decision making: The effects of self-construal priming on consumer risk-taking. *Journal of Consumer Research*, 30(1), 30-40.

Menon, T., Sim, J., Fu, J. H. Y., Chiu, C. Y., Hong, Y. Y. (2010). Blazing the trail versus trailing the group: Culture and perceptions of the leader's position. *Organizational Behaviour and Human Decision Processes*, 113(1), 51-61.

Miech, R., M. E. Patrick, P. M. O'Malley, and L. D. Johnston. (2017). E-cigarette use as a predictor of cigarette smoking: Results from a 1-year follow-up of a national sample of 12th grade students. *Tobacco Control*, 26, e106-e111.

Miller, C. L., Ettridge, K. A., & Wakefield, M. A. (2015). "You're made to feel like a dirty filthy smoker when you're not, cigar smoking is another thing all together." Responses of Australian cigar and cigarillo smokers to plain packaging. *Tobacco Control*, 24(Suppl 2), ii58–ii65. <https://doi.org/10.1136/tobaccocontrol-2014-052049>

Miller, L. (1986). *Principles of Measurement of Visual Standout in Pack Design*. British American Tobacco Records. Bates No. 105364841-105364951 Retrieved from <https://www.industrydocumentslibrary.ucsf.edu/tobacco/docs/fsgv0201>

Moodie, C., Hastings, G., & Ford, A. (2009). A Brief Review of Plain Packaging Research for Tobacco Products. Retrieved from <http://dspace.stir.ac.uk/handle/1893/21602>

Moodie, C., & Hastings, G. (2010). Tobacco packaging as promotion. *Tobacco Control*, 19(2), 168.

Moodie, C., & Ford, A. (2011). Young adult smokers' perceptions of cigarette pack innovation, pack colour and plain packaging. *Australasian Marketing Journal (AMJ)*, 19(3), 174–180. <https://doi.org/10.1016/j.ausmj.2011.05.003>

Moodie, C., & Hastings, G. (2011). Making the Pack the Hero, Tobacco Industry Response to Marketing Restrictions in the UK: Findings from a Long-Term Audit. *International Journal of Mental Health and Addiction*, 9(1), 24-38.

- Moodie, C., Mackintosh, A., Hastings, G., & Ford, A. (2011). Young adult smokers' perceptions of plain packaging: A pilot naturalistic study. *Tobacco Control*, 20(5), 367-73.
- Moodie, C., Stead, M., Bauld, L., McNeill, A., Angus, K., Hinds, K., Kwan, I., Thomas, J., Hastings, G., O'Mara-Eves, A. (2012a). Plain Tobacco Packaging: A Systematic Review. London: Public Health Research Consortium. (The "Stirling Review")
- Moodie, C., Hastings, G., & Joossens, L. (2012b). Young adult smokers' perceptions of illicit tobacco and the possible impact of plain packaging on purchase behaviour. *The European Journal of Public Health*, 22(2), 251-253.
- Moodie, C., Ford, A., Mackintosh, A., & Hastings, G. (2012c). Young People's Perceptions of Cigarette Packaging and Plain Packaging: An Online Survey. *Nicotine & Tobacco Research*, 14(1), 98-105.
- Moodie, C., Angus, K., Stead, M. & Bauld, L. (2013). Plain tobacco packaging research: an update. Stirling, Scotland: Centre for Tobacco Control Research, Institute for Social Marketing, University of Stirling. (The update to the "Stirling Review")
- Moodie, C. S., & Mackintosh, A. M. (2013). Young adult women smokers' response to using plain cigarette packaging: a naturalistic approach. *BMJ Open*, 3(3), e002402. <https://doi.org/10.1136/bmjopen-2012-002402>
- Moodie, C., Angus, K., & Ford, A. (2014). The importance of cigarette packaging in a 'dark' market: the 'Silk Cut' experience. *Tobacco Control*, 23, 274-278.
- Moodie, C., Bauld, L., Ford, A., & Mackintosh, A. M. (2014a). Young women smokers' response to using plain cigarette packaging: qualitative findings from a naturalistic study. *BMC Public Health*, 14(1), 812. <http://doi.org/10.1186/1471-2458-14-812>
- Moodie, C., Purves, R., McKell, J., & De, A. M. (2014b). Young women smokers' perceptions and use of counterfeit cigarettes: Would plain packaging make a difference? *Addiction Research and Theory*, 22(3), 263–270. <http://dx.doi.org/10.3109/16066359.2013.836505>
- Moodie, C., Mackintosh, A. M., & Hastings, G. (2015). Adolescents' response to pictorial warnings on the reverse panel of cigarette packs: a repeat cross-sectional study. *Tobacco Control*, 24(e1), e93–e97. <https://doi.org/10.1136/tobaccocontrol-2013-050999>
- Morgenstern, M., Sargent, J. D., Isensee, B., & Hanewinkel, R. (2013). From never to daily smoking in 30 months: the predictive value of tobacco and non-tobacco advertising exposure. *BMJ Open*, 3(6), e002907. <https://doi.org/10.1136/bmjopen-2013-002907>
- Mucan, B., & Moodie, C. (2017). Young adult smokers' perceptions of plain packs, numbered packs and pack inserts in Turkey: a focus group study. *Tobacco Control*, 0, 1-6 <https://doi.org/10.1136/tobaccocontrol-2017-053902> [Epub ahead of print]
- Mueller, S., Lockshin, L., & Louviere, JJ. (2010). What You See May Not Be What You Get: Asking Consumers What Matters May Not Reflect What They Choose. *Marketing Letters*, 21(4), 335-350.
- Munafò, M. R., Roberts, N., Bauld, L., & Leonards, U. (2011). Plain packaging increases visual attention to health warnings on cigarette packs in non-smokers and weekly smokers but not daily smokers. *Addiction (Abingdon, England)*, 106(8), 1505–1510. <https://doi.org/10.1111/j.1360-0443.2011.03430.x>

- Mutti, S., Hammond, D., Borland, R., Cummings, K. M., O'Connor, R. J., Fong, G. T. (2011). Beyond Light & Mild: Cigarette Brand Descriptors and Perceptions of Risk in the International Tobacco Control (ITC) Four Country Survey. *Addiction*, *106*(6), 1166-1175
- Mutti, S., Hammond, D., Reid, J. L., White, C. M., & Thrasher, J. F. (2017). Perceptions of branded and plain cigarette packaging among Mexican youth. *Health Promotion International*, *32*(4), 650–659. <https://doi.org/10.1093/heapro/dav117>
- Nascimento, B. E., Oliveira, L., Vieira, A. S., Joffily, M., Gleiser, S., Pereira, M. G., & Volchan, E. (2008). Avoidance to smoking: the impact of warning labels in Brazil. *Tobacco Control*, *17*(6), 405-9.
- National Academies of Sciences, Engineering, and Medicine, Health and Medicine Division, Board on Population Health and Public Health Practice, & Committee on the Review of the Health Effects of Electronic Nicotine Delivery Systems. (2018). *Public Health Consequences of E-Cigarettes*. (D. L. Eaton, L. Y. Kwan, & K. Stratton, Eds.). Washington (DC): National Academies Press (US). Retrieved from <http://www.ncbi.nlm.nih.gov/books/NBK507171/>
- National Cancer Institute. (2008). *The Role of the Media in Promoting and Reducing Tobacco Use: Tobacco Control Monograph No. 19*. (NIH Pub. No. 07-6242) Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institute.
- Nicholson, A. K., Borland, R., Sarin, J., Wallace, S., van der Sterren, A. E., Stevens, M., & Thomas, D. P. (2015). Recall of anti-tobacco advertising and information, warning labels and news stories in a national sample of Aboriginal and Torres Strait Islander smokers. *The Medical Journal of Australia*, *202*(10), 67–72. <https://doi.org/10.5694/mja14.01628>
- Noar, S. M., Hall, M. G., Francis, D. B., Ribisi, K. M., Pepper, J. K., Brewer, N. T. (2016a). Pictorial cigarette pack warnings: a meta-analysis of experimental studies. *Tobacco Control*, *25*(3), 341-354.
- Noar, S. M., Francis, D. B., Bridges, C., Sontag, J. M., Ribisl, K. M., & Brewer, N. T. (2016b). The impact of strengthening cigarette pack warnings: systematic review of longitudinal observational studies. *Social Science & Medicine*, *164*, 118-129.
- Newman-Norlund, R. D., Thrasher, J. F., Fridriksson, J., Brixius, W., Froeliger, B., Hammond, D., & Cummings, M. K. (2014). Neural biomarkers for assessing different types of imagery in pictorial health warning labels for cigarette packaging: a cross-sectional study. *BMJ Open*, *4*(12), e006411. <https://doi.org/10.1136/bmjopen-2014-006411>
- Nonnemaker, J., Kim, A., Shafer, P., Loomis, B., Hill, E., Holloway, J., & Farrelly, M. (2016). Influence of point-of-sale tobacco displays and plain black and white cigarette packaging and advertisements on adults: Evidence from a virtual store experimental study. *Addictive Behaviors*, *56*, 15–22. <https://doi.org/10.1016/j.addbeh.2016.01.001>
- Northrup, D. A., & Pollard, J. (1995). *Plain Packaging of Cigarettes, Event Marketing to Advertise Smoking and Other Tobacco Issues: A Survey of Grade Seven and Grade Nine Ontario Students*. York University, Editorial Office, Communications Department.
- OECD Health Statistics 2017. Retrieved from <http://www.oecd.org/els/health-systems/health-data.htm>, Last accessed on 14 Dec 2017).
- OFDT Report. (2017). Tabagisme et arrêt du tabac en 2017. Retrieved from https://www.ofdt.fr/ofdt/fr/tt_17bil.pdf

- OFDT Report. (2018). Tabagisme et paquet de cigarettes: opinions des adolescents de 17 ans. Retrieved from <https://www.ofdt.fr/BDD/publications/docs/eftxssy5.pdf>
- O'Loughlin, J., Karp, I., Koulis, T., Paradis, G., & DiFranza, J. (2009). Determinants of first puff and daily cigarette smoking in adolescents. *American Journal of Epidemiology*, 170(5), 585-597.
- Osman, A., Thrasher, J. F., Yong, H.-H., Arillo-Santillán, E., & Hammond, D. (2017). Disparagement of health warning labels on cigarette packages and cessation attempts: results from four countries. *Health Education Research*, 32(6), 524-536.
- OxyRomandie. (2015). *Errors and Issues with Kaul and Wolf's Two Working Papers on Tobacco Plain Packaging in Australia*. Retrieved from <http://www.tobaccotactics.org/images/f/f0/20150129oxylettertouzh.pdf>
- Padilla, J. (2010). *The impact of plain packaging of cigarettes in Australia: a simulation exercise*. Retrieved from http://tobacco.cleartheair.org.hk/wp-content/uploads/2016/01/Plain_packaging_simulation_PMI_Australia_100202.pdf
- Parr, V., Tan, B., Ell, P., & Miller, K. (GfK Bluemoon). (2011a). *Market research to determine effective plain packaging of tobacco products*. Commonwealth Department of Health and Ageing Sydney, Australia.
- Parr, V., Tan, B., Ell, P. (2011b). Market research to determine impact of plain packaging on other tobacco products. Australian Government Department of Health and Ageing. Retrieved from <http://www.health.gov.au/internet/publications/publishing.nsf/Content/mr-plainpack-mr-other-tob-products>
- Parr, V., Tan, B., & Ell P. (GfK Bluemoon). (2011c). Market testing of new health warnings and information messages for tobacco product packaging: Premium cigars, cigarillos/little cigars and roll your own. Commonwealth Department of Health and Ageing: Sydney, Australia. Retrieved from <http://www.health.gov.au/internet/publications/publishing.nsf/Content/Market-testing-premium>
- Partos, T. R., Borland, R., Yong, H. H., Thrasher, J., Hammond, D. (2013). Cigarette packet warning labels can prevent relapse: findings from the International Tobacco Control 4-Country policy evaluation cohort study. *Tobacco Control*, 22(e1), e43-50.
- Pasquereau, A., Andler, R., Guignard, R., Richard, J.B., Arwidson, P., Nguyen-Thanh, V. (2018). Tobacco Consumption in France: Preliminary Results from the 2017 Health Barometer. *Bulletin Épidémiologique Hebdomadaire*, 14-15, 265-73. Retrieved from http://invs.santepubliquefrance.fr/beh/2018/14-15/pdf/2018_14-15_1.pdf
- Peace, J., Wilson, N., Thomson, G., & Edwards, R. (2007). *Colouring of cigarette packs in New Zealand, does it mislead consumers?* Health Promotion & Policy Research Unit, University of Otago, Wellington. Retrieved from <http://www.tobaccolabels.ca/wp/wp-content/uploads/2013/12/New-Zealand-2007-Colouring-of-cigarette-packs-in-New-Zealand-does-it-mislead-customers-HePPRU-Report-Peace-et-al..pdf>
- Perry, C. L. (1999). The tobacco industry and underage youth smoking: tobacco industry documents from the Minnesota litigation. *Archives of Pediatrics and Adolescent Medicine*, 153(9), 935-941.

- Pesko, M. F., Tauras, J. A., Huang, J., & Chaloupka, I., Frank J. (2016). *The Influence of Geography and Measurement in Estimating Cigarette Price Responsiveness* (Working Paper No. 22296). National Bureau of Economic Research. <https://doi.org/10.3386/w22296>
- Peters, M., & Saffron, M. (2015). Patterns of Non-Compliant Tobacco Use in Sydney Estimated Using An Empty Cigarette Pack Survey. *Respirology*, 20(2), 60.
- Philip Morris Asia Incorporated. (1988). *Singapore GCS 1987*. Bates No. 2504046948/6994. Retrieved from <http://legacy.library.ucsf.edu/tid/xbv19e00>.
- Physicians for a Smoke-free Canada. (2008). *Plain Packaging*. Retrieved from <http://www.smoke-free.ca/plain-packaging/research.htm>.
- Pierce, J., Gilpin, E., Burns, D. M., Whalen, E., Rosbrook, B., Shopland, D., Johnson, M. (1991). Does tobacco advertising target young people to start smoking? Evidence from California. *Journal of the American Medical Association*, 266(22), 3154-3158.
- Pierce, J. P., & Gilpin, E. A. (1995). A historical analysis of tobacco marketing and the uptake of smoking by youth in the United States: 1890-1977. *Health Psychology*, 14(6), 500-508.
- Pierce, J.P., Choi, W.S., Gilpin, E.A., Farkas, A.J., & Merrit, R.K. (1996). Validation of susceptibility as a predictor of which adolescents take up smoking un the United States. *Health Psychology*, 15(5), 355-361
- Pierce, J. P., Choi, W. S., Gilpin, E. A., Farkas, A. J., & Berry, C. C. (1998). Tobacco industry promotion of cigarettes and adolescent smoking. *JAMA*, 279(7), 511–515.
- Pierce, J. P., Distefan, J. M., Jackson, C., White, M. M., & Gilpin, E. A. (2002). Does tobacco marketing undermine the influence of recommended parenting in discouraging adolescents from smoking? *American Journal of Preventive Medicine*, 23(2), 73–81.
- Pisinger, C., & Godtfredsen, N. S. (2007). Is there a health benefit of reduced tobacco consumption? A systematic review. *Nicotine & Tobacco Research: Official Journal of the Society for Research on Nicotine and Tobacco*, 9(6), 631–646. <https://doi.org/10.1080/14622200701365327>
- Pollay, R. (2000). Targeting youth and concerned smokers: Evidence from Canadian tobacco industry documents. *Tobacco Control*, 9(2), 136.
- Pollay, R. W., & Dewhirst, T. (2002). The dark side of marketing seemingly “Light” cigarettes: successful images and failed fact. *Tobacco Control*, 11(suppl 1), i18–i31. https://doi.org/10.1136/tc.11.suppl_1.i18
- Primack, B. A., Soneji, S., Stoolmiller, M., Fine, M. J., & Sargent, J. D. (2015). Progression to Traditional Cigarette Smoking After Electronic Cigarette Use Among US Adolescents and Young Adults. *JAMA Pediatrics*, 169(11), 1018–1023. <https://doi.org/10.1001/jamapediatrics.2015.1742>
- Quit Victoria, Cancer Council Victoria, Australia. (2011). *Plain packaging of tobacco products: a review of the evidence*. Retrieved from <https://www.cancervic.org.au/plainfacts/plainfacts-evidence/>
- Quit Victoria, Cancer Council Victoria, Australia. (2013). *The packaging of tobacco products in Australia*.

- Ramunno, S., Mandeville, K. L., & Yarrow, K. (2012). The effect of plain cigarette packaging on attention to health warnings. *The Lancet*, *380*, S5. [https://doi.org/10.1016/S0140-6736\(13\)60361-X](https://doi.org/10.1016/S0140-6736(13)60361-X)
- Ratneswaran, C., Chisnall, B., Li, M., Tan, S., Douiri, A., Anantham, D., Steier, J. (2016). Desensitisation to cigarette package graphic health warnings: a cohort comparison between London and Singapore. *BMJ Open*, *6*, e012693.
- Rook, D. W., Fisher, R. J. Normative influences on impulsive buying behaviour. *Journal of Consumer Research*, *22*(3), 305-13
- Rootman, I., & Flay, B. (1995). A study on youth smoking, plain packaging, health warnings, event marketing, and price reductions key findings. Toronto: University of Toronto, Centre for Health Promotion.
- Rousu, M., & Thrasher, J. (2013). Demand Reduction from Plain and Pictorial Cigarette Warning Labels: Evidence from Experimental Auctions. *Applied Economic Perspectives And Policy*, *35*(1), 171-184.
- Rowell, A., Evans-Reeves, K., & Gilmore, A. B. (2014). Tobacco industry manipulation of data on and press coverage of the illicit tobacco trade in the UK. *Tobacco Control*, *23*(e1), e35–e43. <https://doi.org/10.1136/tobaccocontrol-2013-051397>
- Sansone, G. C., Fong, G. T., Craig, L. V., Meng, G., Cummings, K. M., & Hammond, D. (2018, May). *Global gaps in smokers' knowledge of cardiovascular harms from smoking and secondhand smoke: findings from the ITC Project*. Oral session at the Canadian Public Health Association Tobacco Control Forum, Montreal, Quebec, Canada.
- Sargent, J., Gibson, J., Heatherton, T. (2009). Comparing the effects of entertainment media and tobacco marketing on youth smoking. *Addiction*, *104*(5), 815-823.
- Scheffels, J., Sæbø, G. (2013). Perceptions of plain and branded cigarette packaging among Norwegian youth and adults: a focus group study. *Nicotine & Tobacco Research*, *15*(2), 450-456.
- Scheffels, J., & Lund, I. (2013). The impact of cigarette branding and plain packaging on perceptions of product appeal and risk among young adults in Norway: A between-subjects experimental survey. *BMJ Open*, *3*(12), e003732. <https://doi.org/10.1136/bmjopen-2013-003732>
- Schooler, C., Feighery, E., & Flora, J. (1996). Seventh graders' self-reported exposure to cigarette marketing and its relationship to their smoking behavior. *American Journal Of Public Health*, *86*(9), 1216-1221.
- Schüz, N., Eid, M., Schüz, B., & Ferguson, S. G. (2016). Immediate effects of plain packaging health warnings on quitting intention and potential mediators: Results from two ecological momentary assessment studies. *Psychology of Addictive Behaviors: Journal of the Society of Psychologists in Addictive Behaviors*, *30*(2), 220–228. <https://doi.org/10.1037/adb0000146>
- Scollo, M., Zacher, M., Durkin, S., & Wakefield, M. (2014a). Early evidence about the predicted unintended consequences of standardised packaging of tobacco products in Australia: a cross-sectional study of the place of purchase, regular brands and use of illicit tobacco. *BMJ Open*, *4*(8), e005873. <https://doi.org/10.1136/bmjopen-2014-005873>

Scollo, M., Bayly, M., Wakefield, M. (2014b). Availability of chop-chop in Victorian tobacconists following introduction of plain packaging. *Australian and New Zealand Journal of Public Health*, 38(3), 293-294.

Scollo, M., Zacher, M., Coomber, K., & Wakefield, M. (2015a). Use of illicit tobacco following introduction of standardised packaging of tobacco products in Australia: Results from a national cross-sectional survey. *Tobacco Control*, 24(Suppl 2), i76.

Scollo, M., Bayly, M., & Wakefield, M. (2015b). Availability of illicit tobacco in small retail outlets before and after the implementation of Australian plain packaging legislation. *Tobacco Control*, 24(e1), e45.

Scollo, M., Zacher, M., Coomber, K., Bayly, M., & Wakefield, M. (2015c). Changes in use of types of tobacco products by pack sizes and price segments, prices paid and consumption following the introduction of plain packaging in Australia. *Tobacco Control*, 24(Suppl 2), i66.

Scollo, M., Bayly, M., & Wakefield, M. (2015d). Did the recommended retail price of tobacco products fall in Australia following the implementation of plain packaging? *Tobacco Control*, 24(Suppl 2), i90.

Scollo, M., Bayly, M., Wakefeld, M. (2015e). The advertised price of cigarette packs in retail outlets across Australia before and after the implementation of plain packaging: a repeated measures observational study. *Tobacco Control*, 24, ii82-ii89

Shadel, W. G., Tharp-Taylor, S., & Fryer, C. S. (2009). How does exposure to cigarette advertising contribute to smoking in adolescents? The role of the developing self-concept and identification with advertising models. *Addictive Behaviors*, 34(11), 932-937.

Shanahan, P. (2000). *Evaluation of the health warnings and explanatory health messages on tobacco products*. Canberra: Department of Health and Aged Care.

Shanahan, P. and Elliott, D. (2008). *Evaluation of the Effectiveness of the Graphic Health Warnings on Tobacco Product Packaging 2008*. Canberra: Australian Government Department of Health and Ageing

Shankleman, M., Sykes, C., Mandeville, K. L., Di Costa, S., & Yarrow, K. (2015). Standardised (plain) cigarette packaging increases attention to both text-based and graphical health warnings: experimental evidence. *Public Health*, 129(1), 37–42.
<https://doi.org/10.1016/j.puhe.2014.10.019>

Shapiro, B. T. (2018). Positive Spillovers and Free-Riding in Advertising of Prescription Pharmaceuticals: The Case of Antidepressants. *Journal of Political Economy*, 126(1), 381-437.

Shiffman, S., Pillitteri, J., Burton, S., Rohay, J., & Gitchell, J. (2001). Smokers' beliefs about "Light" and "Ultra Light" cigarettes. *Tobacco Control*, 10, i17-i23.

Sirichotiratana, N., Sujirarat, D., Sompopcharoen, M., Viwatwongkasem, C., Satitvipawee, P., Auemaneekul, N., & Silpasuwan, P. (2018). Effectiveness of 85% graphic health warning on cigarette packs on smoking behaviours of Thai teenagers. *Tobacco Induced Diseases*, 16, 292-293.

- Skaczkowski, G., Durkin, S., Kashima, Y., & Wakefield, M. (2017). Influence of premium versus value brand names on the smoking experience in a plain packaging environment: an experimental study. *BMJ Open*, 7(1), e014099. <https://doi.org/10.1136/bmjopen-2016-014099>
- Slater, S., Chaloupka, F., Wakefield, M., Johnston, L. & O'Malley, P. (2007). The impact of retail cigarette marketing practices on youth smoking uptake. *Archives of Pediatrics and Adolescent Medicine*, 161(5), 440-445.
- Slovic, P. (2003). Affect, analysis, adolescence and risk. In D. Romer (Ed.), *Reducing adolescent risk: toward an integrated approach* (pp. 44-48). Thousand Oaks, CA: Sage Publications.
- Snowdon, C. (2012). *Plain Packaging: Commercial expression, anti-smoking extremism and the risks of hyper-regulation*. Retrieved from <https://static1.squarespace.com/static/56eddde762cd9413e151ac92/t/573c949c4d088e9a7fed45f6/1463587999195/plain-packaging.pdf>
- Soneji, S., Barrington-Trimis, J. L., Wills, T. A., Leventhal, A. M., Unger, J. B., Gibson, L. A., ... Sargent, J. D. (2017). Association Between Initial Use of e-Cigarettes and Subsequent Cigarette Smoking Among Adolescents and Young Adults: A Systematic Review and Meta-analysis. *JAMA Pediatrics*, 171(8), 788–797. <https://doi.org/10.1001/jamapediatrics.2017.1488>
- Spindle, T. R., M. M. Hiler, A. B. Breland, N. V. Karaoghlanian, A. L. Shihadeh, and T. Eissenberg. (2017). The influence of a mouthpiece-based topography measurement device on electronic cigarette user's plasma nicotine concentration, heart rate, and subjective effects under directed and ad libitum use conditions. *Nicotine & Tobacco Research*, 19(4), 469-476.
- St Helen, G., Ross, K. C., Dempsey, D. A., Havel, C. M., Jacob, P., & Benowitz, N. L. (2016). Nicotine Delivery and Vaping Behavior During ad Libitum E-cigarette Access. *Tobacco Regulatory Science*, 2(4), 363–376. <https://doi.org/10.18001/TRS.2.4.8>
- St Helen, G., Dempsey, D. A., Havel, C. M., Jacob, P., & Benowitz, N. L. (2017). Impact of e-liquid flavors on nicotine intake and pharmacology of e-cigarettes. *Drug and Alcohol Dependence*, 178, 391–398. <https://doi.org/10.1016/j.drugalcdep.2017.05.042>
- Stead, M., Moodie, C., Angus, K., Bauld, L., McNeill, A., Thomas, J., ... Bryce, S. L. (2013). Is Consumer Response to Plain/Standardised Tobacco Packaging Consistent with Framework Convention on Tobacco Control Guidelines? A Systematic Review of Quantitative Studies. *PLOS ONE*, 8(10), e75919. <https://doi.org/10.1371/journal.pone.0075919>
- Steinberg, L. (2010). Adolescent decision making and the prevention of underage smoking. Retrieved from <https://www.jti.com/sites/default/files/global-files/documents/jti-pdf/steinberg.pdf>
- Stoklosa, M. & Ross, H. (2014). Contrasting academic and tobacco industry estimates of illicit cigarette trade: evidence from Warsaw, Poland. *Tobacco Control*, 23(e), e30-e34.
- Street, W., Chantler, S. C., Jay, T., Dickson, G., Gregson, A., & Elliott, R. (2014). *British American Tobacco Australia and Imperial Tobacco Australia Meeting*. Retrieved from <https://www.kcl.ac.uk/health/Packaging-review/packaging-review-docs/meetingsandbriefings/British-American-Tobacco-Australian-and-Imperial-Tobacco-Australia-12-March-2014.pdf>

- Subramaniam, M., Shahwan, S., Fauziana, R., Satghare, P., Picco, L., Vaingankar, J. A., & Chong, S. A. (2015). Perspectives on Smoking Initiation and Maintenance: A Qualitative Exploration among Singapore Youth. *International Journal of Environmental Research and Public Health*, *12*(8), 8956–8970. <https://doi.org/10.3390/ijerph120808956>
- Sussman, S., Grana, R., Pokhrel, P., Rohrbach, L. A., & Sun, P. (2010). Forbidden Fruit and the Prediction of Cigarette Smoking. *Substance Use & Misuse*, *45*(10), 1683–1693. <https://doi.org/10.3109/10826081003682230>
- Swayampakala, K., Thrasher, J. F., Yong, H.-H., Nagelhout, G. E., Li, L., Borland, R., ... Hardin, J. W. (2018). Over-Time Impacts of Pictorial Health Warning Labels and their Differences across Smoker Subgroups: Results from Adult Smokers in Canada and Australia. *Nicotine & Tobacco Research: Official Journal of the Society for Research on Nicotine and Tobacco*, *20*(7), 888–896. <https://doi.org/10.1093/ntr/ntx134>
- Tan, A. S., Arulanandam, S., Chng, C. Y., & Vaithinathan, R. (2000). Overview of legislation and tobacco control in Singapore. *The International Journal of Tuberculosis and Lung Disease: The Official Journal of the International Union Against Tuberculosis and Lung Disease*, *4*(11), 1002–1008.
- Tan, S. J., & Tan, K. L. (2007). Antecedents and consequences of skepticism toward health claims: An empirical investigation of Singaporean consumers. *Journal of Marketing Communications*, *13*(1), 59-82.
- The Journal of the American Dental Association (1995). Cigarette packaging appeals to teens. *The Journal of the American Dental Association*, *126*(12), 1604. <https://doi.org/10.14219/jada.archive.1995.0100>
- Thrasher, J. F., Boado, M., Sebríe, E. M., & Bianco, E. (2009). Smoke-free policies and the social acceptability of smoking in Uruguay and Mexico: findings from the International Tobacco Control Policy Evaluation Project. *Nicotine and Tobacco Research*, *13*(4), 298-300.
- Thrasher, J. F., Rousu, M. C., Hammond, D., Navarro, A., & Corrigan, J. R. (2011a). Estimating the impact of pictorial health warnings and ‘plain’ cigarette packaging: evidence from experimental auctions among adult smokers in the United States. *Health Policy (Amsterdam, Netherlands)*, *102*(1), 41–48. <https://doi.org/10.1016/j.healthpol.2011.06.003>
- Toll, B., & Ling, P. (2005). The Virginia Slims identity crisis: An inside look at tobacco industry marketing to women. *Tobacco Control*, *14*(3), 172.
- Ulucanlar, S., Fooks, G. J., Hatchard, J. L., & Gilmore, A. B. (2014). Representation and Misrepresentation of Scientific Evidence in Contemporary Tobacco Regulation: A Review of Tobacco Industry Submissions to the UK Government Consultation on Standardised Packaging. *PLOS Medicine*, *11*(3), e1001629. <https://doi.org/10.1371/journal.pmed.1001629>
- Underwood, R., & Ozanne, J. (1998). Is your package an effective communicator? A normative framework for increasing the communicative competence of packaging. *Journal of Marketing Communications*, *4*(4), 207-220.
- U.S. Department of Health and Human Services. Centers for Disease Control and Prevention (US), National Center for Chronic Disease Prevention and Health Promotion (US), & Office on Smoking and Health (US). (2010). *How Tobacco Smoke Causes Disease: The Biology and Behavioral Basis for Smoking-Attributable Disease: A Report of the Surgeon General*. Atlanta

(GA): Centers for Disease Control and Prevention (US). Retrieved from <http://www.ncbi.nlm.nih.gov/books/NBK53017/>

U.S. Department of Health and Human Services. National Center for Chronic Disease Prevention and Health Promotion (US) Office on Smoking and Health. (2012). *Preventing Tobacco Use Among Youth and Young Adults: A Report of the Surgeon General*. Atlanta (GA): Centers for Disease Control and Prevention (US). Retrieved from <http://www.ncbi.nlm.nih.gov/books/NBK99237/>

U.S. Department of Health and Human Services. National Center for Chronic Disease Prevention and Health Promotion (US) Office on Smoking and Health. (2014). *The Health Consequences of Smoking—50 Years of Progress: A Report of the Surgeon General*. Atlanta (GA): Centers for Disease Control and Prevention (US). Retrieved from <http://www.ncbi.nlm.nih.gov/books/NBK179276/>

van Hal, G., Roosbroeck, S. V., Vriesacker, B., Arts, M., Hoeck, S., & Fraeyman, J. (2012). Flemish adolescents' perceptions of cigarette plain packaging: a qualitative study with focus group discussions. *BMJ Open*, 2(6), e001424. <https://doi.org/10.1136/bmjopen-2012-001424>

van Walbeek, C. (2014). Measuring changes in the illicit cigarette market using government revenue data: the example of South Africa. *Tobacco Control*, 23(e1), e69–e74. <https://doi.org/10.1136/tobaccocontrol-2013-051178>

Vardavas, C. (2010). Key points in preventing tobacco use among adolescents. *Tobacco Induced Diseases*, 8(1), 1. <https://doi.org/10.1186/1617-9625-8-1>

Viscusi, W. K. (2015a). *An Assessment of the Likely Effect of Plain Packaging on Warnings Efficacy*.

Viscusi, W. K. (2015b). *Analysis of CITTS data and NTPPTS data: A report for the Post-Implementation Review*.

Viscusi, W. K. (2018) *An Assessment of the Effect of Australian Plain Packaging Regulation: Analysis of Roy Morgan Research data, CITTS data, and NTPPTS data*. Retrieved from [http://www.bat.com/group/sites/uk__9d9kcy.nsf/vwPagesWebLive/DO9DKJEB/\\$FILE/medMDAVXMEV.pdf?openelement](http://www.bat.com/group/sites/uk__9d9kcy.nsf/vwPagesWebLive/DO9DKJEB/$FILE/medMDAVXMEV.pdf?openelement)

Voorhees, C. C., Ye, C., Carter-Pokras, O., MacPherson, L., Kanamori, M., Zhang, G., & Fiedler, R. (2011). Peers, tobacco advertising, and secondhand smoke exposure influences smoking initiation in diverse adolescents. *American Journal of Health Promotion*, 25(3), e1–e11.

Wakefield, M. & Letcher, T. (2002). My pack is cuter than your pack. *Tobacco Control*, 11, 154–156.

Wakefield, M., Morley, C., Horan, J., & Cummings, K. (2002). The cigarette pack as image: New evidence from tobacco industry documents. *Tobacco Control*, 11(Suppl 1), I73.

Wakefield, M., Germain, D., & Durkin, S. (2008a). How does increasingly plainer cigarette packaging influence adult smokers' perceptions about brand image? An experimental study. *Tobacco Control*, 17(6), 416–421.

Wakefield, M. A., Durkin, S., Spittal, M. J., Siahpush, M., Scollo, M., Simpson, J. A., ... Hill, D. (2008b). Impact of tobacco control policies and mass media campaigns on monthly adult smoking prevalence. *American Journal of Public Health*, 98(8), 1443–1450. <https://doi.org/10.2105/AJPH.2007.128991>

- Wakefield, M., Germain, D., Durkin, S., Hammond, D., Goldberg, M., & Borland, R. (2012). Do larger pictorial health warnings diminish the need for plain packaging of cigarettes? *Addiction*, *107*(6), 1159-1167.
- Wakefield, M. A., Hayes, L., Durkin, S., & Borland, R. (2013). Introduction effects of the Australian plain packaging policy on adult smokers: a cross-sectional study. *BMJ Open*, *3*(7), e003175. <https://doi.org/10.1136/bmjopen-2013-003175>
- Wakefield, M., Bayly, M., & Scollo, M. (2014a). Product retrieval time in small tobacco retail outlets before and after the Australian plain packaging policy: Real-world study. *Tobacco Control*, *23*(1), 70, 6.
- Wakefield, M., Zacher, M., Bayly, M., Brennan, E., Dono, J., Miller, C., Durkin, S J., Scollo, M. (2014b). The silent salesman: an observational study of personal tobacco pack display at outdoor café strips in Australia. *Tobacco Control*, *23*, 339-344.
- Wakefield, M. A., Coomber, K., Durkin, S. J., Scollo, M., Bayly, M., Spittal, M. J., ... Hill, D. (2014c). Time series analysis of the impact of tobacco control policies on smoking prevalence among Australian adults, 2001-2011. *Bulletin of the World Health Organization*, *92*(6), 413-422. <https://doi.org/10.2471/BLT.13.118448>
- Wakefield, M., Coomber, K., Zacher, M., Durkin, S., Brennan, E., Scollo, M. (2015). Australian adult smokers' responses to plain packaging with larger graphic health warnings 1 year after implementation: results from a national cross-sectional tracking survey. *Tobacco Control*, *24*, ii17-ii25.
- Wang, A. L., Lowen, S. B., Romer, D., Giorno, M., Langleben, D. D. (2015). Emotional reaction facilitates the brain and behavioural impact of graphic cigarette warning labels in smokers. *Tobacco Control*, *24*, 225-232.
- Webb, H., Jones, B. M., McNeill, K., Lim, L., Frain, A. J., O'Brien, K. J., ... Cruwys, T. (2017). Smoke signals: The decline of brand identity predicts reduced smoking behaviour following the introduction of plain packaging. *Addictive Behaviors Reports*, *5*, 49-55. <https://doi.org/10.1016/j.abrep.2017.02.003>
- Weiger, C., Heley, K., & Moran, M. B. (2017). Tobacco industry marketing and consumer harm perceptions. *Journal of Communication in Healthcare*, *10*(3), 165-168.
- Weiss, J. W., Cen, S., Schuster, D. V., Unger, J. B., Johnson, C. A., Mouttapa, M., ... Cruz, T. B. (2006). Longitudinal effects of pro-tobacco and anti-tobacco messages on adolescent smoking susceptibility. *Nicotine & Tobacco Research: Official Journal of the Society for Research on Nicotine and Tobacco*, *8*(3), 455-465. <https://doi.org/10.1080/14622200600670454>
- While, D., Kelly, S., Huang, W., & Charlton, A. (1996). Cigarette advertising and onset of smoking in children: questionnaire survey. *BMJ (Clinical Research Ed.)*, *313*(7054), 398-399.
- White, C., & Hammond, D. (2011). *The impact of cigarette package design and plain packaging on female youth in Brazil: Brand appeal and health-related perceptions*. [PowerPoint slides]. Retrieved from <http://resources.cpha.ca/CPHA/Conf/Data/2011/A11-615e.pdf>

White, C., Hammond, D., Thrasher, J. F., & Fong, G. T. (2012). The potential impact of plain packaging of cigarette products among Brazilian young women: An experimental study. *BMC Public Health*, *12*(1), 737.

White, V., Williams, T., & Wakefield, M. (2015a). Has the introduction of plain packaging with larger graphic health warnings changed adolescents' perceptions of cigarette packs and brands? *Tobacco Control*, *24*(Suppl 2), ii42–ii49. <https://doi.org/10.1136/tobaccocontrol-2014-052084>

White, V., Williams, T., Faulkner, A., & Wakefield, M. (2015b). Do larger graphic health warnings on standardised cigarette packs increase adolescents' cognitive processing of consumer health information and beliefs about smoking-related harms? *Tobacco Control*, *24*(Suppl 2), ii50–ii57. <https://doi.org/10.1136/tobaccocontrol-2014-052085>

Wickström, R. (2007). Effects of nicotine during pregnancy: human and experimental evidence. *Current Neuropharmacology*, *5*(3), 213–222. <https://doi.org/10.2174/157015907781695955>

Wills, T. A., Knight, R., Sargent, J. D., Gibbons, F. X., Pagano, I., & Williams, R. J. (2017a). Longitudinal study of e-cigarette use and onset of cigarette smoking among high school students in Hawaii. *Tobacco Control*, *26*(1), 34–39. <https://doi.org/10.1136/tobaccocontrol-2015-052705>

Wills, T. A., J. D. Sargent, F. X. Gibbons, I. Pagano, and R. Schweitzer. (2017b). E-cigarette use is differentially related to smoking onset among lower-risk adolescents. *Tobacco Control*, *26*(5), 534-539.

Wilson, N., Weerasekera, D., Peace, J., Edwards, R., Thomson, G., & Devlin, M. (2009). Misperceptions of "light" cigarettes abound: National survey data. *BMC Public Health*, *9*(1), 126.

World Health Organization (2005). *The tobacco industry documents: what they are, what they tell us, and how to search them: a practical manual*. Retrieved from <http://www.who.int/iris/handle/10665/43153>

World Health Organization. (2013). *WHO report on the global tobacco epidemic, 2013: enforcing bans on tobacco advertising, promotion and sponsorship: executive summary*. Retrieved from <http://www.who.int/iris/handle/10665/85381>

World Health Organization. (2016). *Plain packaging of tobacco products: evidence, design and implementation*. Retrieved from http://apps.who.int/iris/bitstream/handle/10665/207478/9789241565226_eng.pdf;jsessionid=4DE3E6F682119DD9CE34763E192A9901?sequence=1

Yan, X. S., and D'Ruiz, C. (2015). Effects of using electronic cigarettes on nicotine delivery and cardiovascular function in comparison with regular cigarettes. *Regulatory Toxicology and Pharmacology*, *71*(1), 24-34.

Yong, H.-H., Borland, R., Thrasher, J. F., Thompson, M. E., Nagelhout, G., Fong, G. T., Hammond, D., & Cummings, K. M. (2014). Mediation pathways of the impact of cigarette warning labels on quit attempts. *Health Psychology*, *33*(11), 1410-1420.

Yong, H.-H., Borland, R., Hammond, D., Thrasher, J. F., Cummings, K. M., & Fong, G. T. (2016). Smokers' reactions to the new larger health warning labels on plain cigarette packs in

- Australia: findings from the ITC Australia project. *Tobacco Control*, 25(2), 181–187. <https://doi.org/10.1136/tobaccocontrol-2014-051979>
- Young, J. M., Stacey, I., Dobbins, T.A, Dunlop, S., Dessaix, A. L., Currow, D. C. (2014). Association between tobacco plain packaging and Quitline calls: a population-based, interrupted timeseries. *Medical Journal of Australia*, 200(1), 29-32.
- Yuan, M., Cross, S. J., Loughlin, S. E., & Leslie, F. M. (2015). Nicotine and the adolescent brain. *The Journal of Physiology*, 593(Pt 16), 3397–3412. <https://doi.org/10.1113/JP270492>
- Zacher, M., Bayly, M., Brennan, E., Dono, J., Miller, C., Durkin, S., ... Wakefield, M. (2014). Personal tobacco pack display before and after the introduction of plain packaging with larger pictorial health warnings in Australia: an observational study of outdoor café strips. *Addiction (Abingdon, England)*, 109(4), 653–662. <https://doi.org/10.1111/add.12466>
- Zacher, M., Bayly, M., Brennan, E., Dono, J., Miller, C., Durkin, S., ... Wakefield, M. (2015). Personal pack display and active smoking at outdoor café strips: assessing the impact of plain packaging 1 year postimplementation. *Tobacco Control*, 24(Suppl 2), ii94–ii97. <https://doi.org/10.1136/tobaccocontrol-2014-051826>
- Zhang, X., Cowling, D. W., Tang, H. (2010). The impact of social norm change strategies on smokers' quitting behaviours. *Tobacco Control*, 19(Suppl 1), i51-i55.
- Zhang, Y., & Gelb, B. D. (1996). Matching Advertising Appeals to Culture: The Influence of Products' Use Conditions. *Journal of Advertising*, 25(3), 29–46.
- Zhu, S.-H., Zhuang, Y.-L., Wong, S., Cummins, S. E., & Tedeschi, G. J. (2017). E-cigarette use and associated changes in population smoking cessation: evidence from US current population surveys. *BMJ*, 358, j3262. <https://doi.org/10.1136/bmj.j3262>